

Date of issue for the 1st edition : 23/Sep/2016

Date of revision : 25/Apr/2022

Safety Data Sheet

1. Identification of the substance/mixture and of the company/undertaking
Product identifier:
Product name: Ethanol(95)
Reference number(SDS):17070jis_J_E1-2
Product type:
Reagent
Details of the supplier of the safety data sheet
Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.
Address: 1–6, Ohmano-cho, Koshigaya-shi, Saitama 343–0844, Japan
Division: Quality Assurance Department
Telephone number: +81-48-986-6161
FAX: +81-48-989-2787
e-mail address: shiyaku-t@junsei.co.jp
2. Hazards identification
GHS classification and label elements of the product
Classification of the substance or mixture
PHYSICAL AND CHEMICAL HAZARDS
Flammable liquids: Category 2
HEALTH HAZARDS
Serious eye damage/eye irritation: Category 2B
Carcinogenicity: Category 1A
Reproductive toxicity: Category 1A
Specific target organ toxicity – single exposure: Category 3 (Respiratory tract irritation)
Specific target organ toxicity – single exposure: Category 3(Narcosis)
Specific target organ toxicity - repeated exposure: Category 1(liver)
Specific target organ toxicity - repeated exposure: Category 2(central nervous system)
(Note) GHS classification without description: Not classified/Classification not possible
Label elements



Signal word: Danger

HAZARD STATEMENT

H225-Highly flammable liquid and vapor

H320-Causes eye irritation

H350-May cause cancer

H360-May damage fertility or the unborn child

H335-May cause respiratory irritation

H336-May cause drowsiness or dizziness

H372-Causes damage to organs through prolonged or repeated exposure

H373-May cause damage to organs through prolonged or repeated exposure

PRECAUTIONARY STATEMENT

Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wash contaminated parts thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Response In case of fire: Use appropriate media other than water to extinguish. Get medical advice/attention if you feel unwell. IF exposed or concerned: Get medical advice/attention. Call a POISON CENTER/doctor/physician if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Storage Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Disposal Dispose of contents/container in accordance with local/national regulation. Specific Physical and Chemical hazards

Highly flammable liquid. Vapor/air mixture may explode.

3. Composition/information on ingredients

Mixture/Substance selection:

Mixture

Ingredient name:Ethanol Content (%):94.8~95.8 Chemical formula:C2H5OH Chemicals No, Japan:2-202 CAS No.:64-17-5 MW:46.07 ECNO:200-578-6

Ingredient name:Water Content (%):Residual quantity of the ingredient mentioned above Chemical formula:H2O CAS No.:7732-18-5 MW:18.02 ECNO:231-791-2 Note : The figures shown above are not the specifications of the product.

4. First-aid measures

Descriptions of first-aid measures

General measures

Get medical advice/attention if you feel unwell.



Keep victim warm and quiet.

Call emergency medical service.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Give artificial respiration if victim is not breathing.

Administer oxygen if breathing is difficult.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water or shower.

If skin irritation or rash occurs: Get medical advice/attention.

Remove and isolate contaminated clothing and shoes.

In case of burns, immediately cool affected skin for as long as possible with child water.

Do not remove clothing if adhering to skin.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

If victim is conscious, give 1 - 2 glasses of water.

Call a POISON CENTER/doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

(Symptoms when inhalation or ingestion)

Cough. Headache. Fatigue. Drowsiness. Burning sensation. Headache. Confusion. Dizziness. Unconsciousness.

(Symptoms when skin and/or eye contact)

Dry skin. Conjunctival redness of the eyes.. Pain of the eyes. Burning sensation of the eyes.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

In case of fire, use water mist, alcohol-resistant foam, dry powder, CO2 to extinguish.

Unsuitable extinguishing media

Do not use direct water jet.

Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Cool container with water spray.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with full face peace operated positive pressure mode.

6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

In case of contact with substance, immediately flush skin or eyes with running water for at



least 20 minutes.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

PUBLIC SAFTY: Ventilate closed spaces before entering.

Do not touch or walk through spilled material.

Environmental precautions

Runoff to sewer may create fire or explosion hazard.

Vapors may form explosive mixtures with air.

Avoid release to headsprings, rivers, lakes, ocean and groundwater.

Methods and materials for containment and cleaning up

Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.

Use clean non-sparking tools to collect absorbed material.

All equipment used when handling the product must be grounded.

Preventive measures for secondary accident

Collect spillage.

Stop leak if you can do it without risk.

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Prevent entry into waterways, sewers, basements or confined areas.

Keep out of low areas.

7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

When using do not eat, drink or smoke.

Any incompatibilities

Strong oxidizing agents,, Calcium hypochlorite, Silver oxide, Ammonia should not be mixed with the chemicals.

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Storage

Conditions for safe storage

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Keep cool. Protect from sunlight.



Store in accordance with local/national regulation.

Store locked up.

Container and packaging materials for safe handling data is not available.

Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

8. Exposure controls/personal protection Control parameters Control value in MHLW is not available. Adopted value (Ethanol) Adopted value in JSOH is not available. ACGIH(2009) STEL: 1000ppm (URT irr) Exposure controls Appropriate engineering controls Do not use in areas without adequate ventilation. Eye wash station should be available. Washing facilities should be available. Individual protection measures Respiratory protection Wear respiratory protection. Hand protection Wear protective gloves. Recommended material(s): butyl rubber, viton Eye protection Wear eye/face protection. Skin and body protection Wear impervious clothing and boots in case of repeated or prolonged treatment. 9. Physical and Chemical Properties Information on basic physical and chemical properties Physical state: Volatile liquid Color: Colorless Odor: Characteristic odor Odor threshold data is not available. Melting point/Freezing point data is not available. Boiling point or initial boiling point: 79°C Boiling range data is not available. Flammability (gases, liquids and solids): Non-flammable Lower and upper explosion limit/flammability limit: Lower explosion limit: 3.3 vol %(Ethanol) Upper explosion limit: 19 vol %(Ethanol) Flash point: 17°C Auto-ignition temperature: 363°C(Ethanol) Decomposition temperature: >=700°C Self-Accelerating Decomposition Temperature/SADT data is not available. pH data is not available. Dynamic viscosity data is not available. Kinematic viscosity data is not available. Solubility: Solubility in water: Miscible

Solubility in solvent: Miscible with diethyl ether.



n-Octanol/water partition coefficient data is not available. Vapor pressure: 5.8 kPa (20°C) (Ethanol) Vapor density data is not available. VOC data is not available. Evaporation rate data is not available. Density and/or relative density: 0.808~0.812 g/ml (20°C) Relative vapor density (Air=1): 1.6(Ethanol) Relative density of the Vapor/air - mixture at 20°C (Air = 1): 1.03(Ethanol) Critical temperature data is not available. Particle characteristics data is not available.

10. Stability and Reactivity

Reactivity

Runaway polymerization will not occur.

Chemical stability

Stable under normal storage/handling conditions.

Flammable.

Possibility of hazardous reactions

The vapour mixes well with air, explosive mixtures are easily formed.

Reacts slowly with calcium hypochlorite, silver oxide and ammonia. This generates fire and explosion hazard.

Reacts violently with strong oxidants such as nitric acid, silver nitrate, mercuric nitrate

and magnesium perchlorate. This generates fire and explosion hazard.

Conditions to avoid

Contact with incompatible materials.

Open flames. Heat. Sparks.

Incompatible materials

Oxidizing agents, Strong oxidizing agents, Calcium hypochlorite, Silver oxide, Ammonia.

Hazardous decomposition products

Carbon oxides

11. Toxicological Information

Information on toxicological effects	
Acute toxicity	
Acute toxicity (Oral)	
[GHS Cat. Japan, base data]	
(Ethanol) rat LD50=6200~13700mg/kg (PATTY 6th, 2012)	
Acute toxicity (Dermal)	
[GHS Cat. Japan, base data]	
(Ethanol) rabbit LDLo= 20000 mg/kg(SIDS, 2005)	
Acute toxicity (Inhalation)	
[GHS Cat. Japan, base data]	
(Ethanol) vapor : rat LC50=63000 ppmV(DFGOT vol.12, 1999)	
Irritant properties	
Skin corrosion/irritation	
[GHS Cat. Japan, base data]	
(Ethanol) rabbit (OECD TG404) : not irritating(SIDS, 2005)	
Serious eye damage/irritation	
[GHS Cat. Japan, base data]	
(Ethanol)	
rabbit : Corneal opacity, iritis, conjunctival redness and chemosis recover within 7 dayss	
(ECETC	OC TR No.48(2), 1998 et al.)



Allergenic and sensitizing effects data is not available. Mutagenic effects data is not available. Carcinogenicity [GHS Cat. Japan, base data] (Ethanol) cat.1A; (IARC, 2010) [IARC] (Ethanol) Group 1 : Carcinogenic to humans [ACGIH] (Ethanol) A3(2009) : Confirmed Animal Carcinogen with Unknown Relevance to Humans Reproductive toxicity [GHS Cat. Japan, base data] (Ethanol) cat. 1A; human : PATTY 6th, 2012 Teratogenic effects [GHS Cat. Japan, base data] (Ethanol) human : Fetal alcohol syndrome is growth, mental, and physical problems that may occur in a baby when a mother drinks alcohol during pregnancy. STOT STOT-single exposure [cat.3 (resp. irrit.)] [GHS Cat. Japan, base data] (Ethanol) respiratory tract irritation (PATTY 6th, 2012) [cat.3 (drow./dizz.)] [GHS Cat. Japan, base data] (Ethanol) narcotic effect (PATTY 6th, 2012; SIDS, 2005) STOT-repeated exposure [cat.1] [GHS Cat. Japan, base data] (Ethanol) liver (DFGOT vol.12, 1999) [cat.2] [GHS Cat. Japan, base data] (Ethanol) central nervous system (HSDB, Access on Jun. 2013) Aspiration hazard data is not available. Information on other hazards Data on the preparation itself is not available.

Ecotoxicity Aquatic toxicity Hazardous to the aquatic environment (Acute) [GHS Cat. Japan, base data] (Ethanol) Algae (Chlorella) EC50=1000mg/L/96hr (SIDS, 2005) Hazardous to the aquatic environment (Long-term) [GHS Cat. Japan, base data] (Ethanol) Crustacea (Ceriodaphnia reticulata) NOEC=9.6mg/L/10days (SIDS, 2005) Water solubility (Ethanol) miscible (ICSC, 2018) Persistence and degradability (Ethanol) Degrade rapidly [BOD_Degradation : 89% (METI existing chemical safety inspections, 1993)] Bioaccumulative potential (Ethanol) log Pow=-0.32 (ICSC, 2018)	12. Ecological Information
Hazardous to the aquatic environment (Acute) [GHS Cat. Japan, base data] (Ethanol) Algae (Chlorella) EC50=1000mg/L/96hr (SIDS, 2005) Hazardous to the aquatic environment (Long-term) [GHS Cat. Japan, base data] (Ethanol) Crustacea (Ceriodaphnia reticulata) NOEC=9.6mg/L/10days (SIDS, 2005) Water solubility (Ethanol) miscible (ICSC, 2018) Persistence and degradability (Ethanol) Degrade rapidly [BOD_Degradation : 89% (METI existing chemical safety inspections, 1993)] Bioaccumulative potential	Ecotoxicity
[GHS Cat. Japan, base data] (Ethanol) Algae (Chlorella) EC50=1000mg/L/96hr (SIDS, 2005) Hazardous to the aquatic environment (Long-term) [GHS Cat. Japan, base data] (Ethanol) Crustacea (Ceriodaphnia reticulata) NOEC=9.6mg/L/10days (SIDS, 2005) Water solubility (Ethanol) miscible (ICSC, 2018) Persistence and degradability (Ethanol) Degrade rapidly [BOD_Degradation : 89% (METI existing chemical safety inspections, 1993)] Bioaccumulative potential	Aquatic toxicity
 (Ethanol) Algae (Chlorella) EC50=1000mg/L/96hr (SIDS, 2005) Hazardous to the aquatic environment (Long-term) [GHS Cat. Japan, base data] (Ethanol) Crustacea (Ceriodaphnia reticulata) NOEC=9.6mg/L/10days (SIDS, 2005) Water solubility (Ethanol) miscible (ICSC, 2018) Persistence and degradability (Ethanol) Degrade rapidly [BOD_Degradation : 89% (METI existing chemical safety inspections, 1993)] Bioaccumulative potential 	Hazardous to the aquatic environment (Acute)
Hazardous to the aquatic environment (Long-term) [GHS Cat. Japan, base data] (Ethanol) Crustacea (Ceriodaphnia reticulata) NOEC=9.6mg/L/10days (SIDS, 2005) Water solubility (Ethanol) miscible (ICSC, 2018) Persistence and degradability (Ethanol) Degrade rapidly [BOD_Degradation : 89% (METI existing chemical safety inspections, 1993)] Bioaccumulative potential	[GHS Cat. Japan, base data]
[GHS Cat. Japan, base data] (Ethanol) Crustacea (Ceriodaphnia reticulata) NOEC=9.6mg/L/10days (SIDS, 2005) Water solubility (Ethanol) miscible (ICSC, 2018) Persistence and degradability (Ethanol) Degrade rapidly [BOD_Degradation : 89% (METI existing chemical safety inspections, 1993)] Bioaccumulative potential	(Ethanol) Algae (Chlorella) EC50=1000mg/L/96hr (SIDS, 2005)
 (Ethanol) Crustacea (Ceriodaphnia reticulata) NOEC=9.6mg/L/10days (SIDS, 2005) Water solubility (Ethanol) miscible (ICSC, 2018) Persistence and degradability (Ethanol) Degrade rapidly [BOD_Degradation : 89% (METI existing chemical safety inspections, 1993)] Bioaccumulative potential 	Hazardous to the aquatic environment (Long-term)
 Water solubility (Ethanol) miscible (ICSC, 2018) Persistence and degradability 	[GHS Cat. Japan, base data]
(Ethanol) miscible (ICSC, 2018) Persistence and degradability (Ethanol) Degrade rapidly [BOD_Degradation : 89% (METI existing chemical safety inspections, 1993)] Bioaccumulative potential	(Ethanol) Crustacea (Ceriodaphnia reticulata) NOEC=9.6mg/L/10days (SIDS, 2005)
Persistence and degradability (Ethanol) Degrade rapidly [BOD_Degradation : 89% (METI existing chemical safety inspections, 1993)] Bioaccumulative potential	Water solubility
(Ethanol) Degrade rapidly [BOD_Degradation : 89% (METI existing chemical safety inspections, 1993)] Bioaccumulative potential	(Ethanol) miscible (ICSC, 2018)
Bioaccumulative potential	Persistence and degradability
	(Ethanol) Degrade rapidly [BOD_Degradation : 89% (METI existing chemical safety inspections, 1993)]
(Ethanol) log Pow=-0.32 (ICSC, 2018)	Bioaccumulative potential
	(Ethanol) log Pow=-0.32 (ICSC, 2018)



Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

Additional data

Data on the preparation itself is not available.

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging Waste treatment methods

Dispose of contents/container in accordance with local/national regulation.

14. Transport Information
UN No., UN CLASS
UN No. or ID No.: 1170
UN Proper Shipping Name :
ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Class or division (Transport hazard class) : 3
Packing group : II
ERG GUIDE No.: 127
IMDG Code (International Maritime Dangerous Goods Regulations)
UN No.: 1170
Proper Shipping Name :
ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Class or division : 3
Packing group : II
IATA Dangerous Goods Regulations
UN No.: 1170
Proper Shipping Name :
ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Class or division : 3
Hazard labels : Flamm.liquid
Packing group : II
Environmental hazards
MARPOL Annex III – Prevention of pollution by harmful substances
Marine pollutants (yes/no) : no
MARPOL Annex V – Prevention of pollution by garbage discharge
Carcinogenicity: cat.1, 1A, 1B
Ethanol
Reproductive toxicity: cat.1, 1A, 1B
Ethanol
Specific target organ toxicity - repeated exposure: cat.1
Ethanol
Maritime transport in bulk according to IMO instruments
Noxious Liquid ; Cat. Z
Ethanol(Z-21)
Non Noxious Liquid ; Cat. OS
Water(OS-18)



15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture Chemicals listed in TSCA Inventory

Ethanol; Water

Other regulatory information

We are not able to check up the regulatory information with regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Regulatory information in this section are limited to intentional ingredient(s), but does not contain information on non-intentional ingredients or impurities which are not informed by supplier(s).

Chemical safety assessment

Advice on safe handling for this product can be found in sections 7 and 8 of this SDS.

16. Other information

GHS classification and labelling

H225-Flam. Liq. 2: H225 Highly flammable liquid and vapor

H320-Eye Irrit. 2B: H320 Causes eye irritation

H350-Carc. 1A: H350 May cause cancer

H360-Repr. 1A: H360 May damage fertility or the unborn child

H335-STOT SE 3: H335 May cause respiratory irritation

H336-STOT SE 3: H336 May cause drowsiness or dizziness

H372-STOT RE 1: H372 Causes damage to organs through prolonged or repeated exposure

H373-STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure

Reference Book

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 21th edit., 2019 UN

IMDG Code, 2018 Edition (Incorporating Amendment 39-18)

IATA Dangerous Goods Regulations (62nd Edition) 2021

2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2021 TLVs and BEIs. (ACGIH)

JIS Z 7252 : 2019

JIS Z 7253 : 2019

2021 Recommendation on TLVs (JSOH)

Supplier's data/information

Chemicals safety data management system "GHS Assistant" Version 4.16 (https://www.asahi-ghs.com/) NITE Chemical Risk Information Platform "NITE-CHRIP"

(https://www.nite.go.jp/en/chem/chrip/chrip_search/systemTop)

GHS Classification Guidance for Enterprises 2019 Revised Edition (Ver. 2.0) (Mar. 2020, METI)

Definitions and Abbreviations

SDS (Safety Data Sheet)

LD50 (Lethal Dose, 50%)

LC50 (Lethal Concentration, 50%)

IARC (International Agency for Research on Cancer)

ACGIH (American Conference of Governmental Industrial Hygienists)

EPA (US Environmental Protection Agency)

NTP (US National Toxicology Program)

JSOH (Japan Society for Occupational Health)



EU (European Union) EC50 (Effective Concentration, 50%) NOEC (No Observed Effect Concentration) BOD (Biochemical Oxygen Demand) COD (Chemical Oxygen Demand) BCF (Bioconcentration Factor) anh (anhydride)

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2020).