

Safety Data Sheet

1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Ethyleneglycol Monobutylether

Reference number(SDS):17366jis_J_E2-1

Product type:

Quasi-drug raw materials

※This product conform to JSQI (Japanese Standards of Quasi-drug Ingredients).

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the product: Fragrance, Solvent, Viscosity controlling

Uses advised against: Do not use for other purposes.

Details of the supplier of the safety data sheet

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-cho, Koshigaya-shi, Saitama 343-0844, Japan

Division: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

PHYSICAL AND CHEMICAL HAZARDS

Flammable liquids: Category 4

HEALTH HAZARDS

Acute toxicity (Oral): Category 4

Acute toxicity (Dermal): Category 3

Acute toxicity (Inhalation): Category 2

Skin corrosion/irritation: Category 2

Serious eye damage/eye irritation: Category 2A

Reproductive toxicity: Category 2

Specific target organ toxicity – single exposure: Category 1(haemal system, respiratory organs, liver, kidney)

Specific target organ toxicity – single exposure: Category 3(Narcosis)

Specific target organ toxicity – repeated exposure: Category 1(haemal system)

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

H227-Combustible liquid

H302-Harmful if swallowed

H311-Toxic in contact with skin

H330-Fatal if inhaled

H315-Causes skin irritation

H319-Causes serious eye irritation

H361-Suspected of damaging fertility or the unborn child

Ethyleneglycol Monobutylether,
JUNSEI CHEMICAL CO., LTD.,17366jis_J_E2-1,22/Aug/2022

H370-Causes damage to organs

H336-May cause drowsiness or dizziness

H372-Causes damage to organs through prolonged or repeated exposure

PRECAUTIONARY STATEMENT

Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not breathe dust/fume/gas/mist/vapors/spray.

In case of inadequate ventilation wear respiratory protection.

Use only outdoors or in a well-ventilated area.

Wash contaminated parts thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

Do not eat, drink or smoke when using this product.

Response

In case of fire: Use water mist, alcohol-resistant foam, dry powder, CO2 to extinguish.

Get medical advice/attention if you feel unwell.

IF exposed or concerned: Get medical advice/attention.

Immediately call a POISON CENTER/doctor/physician.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF exposed or concerned: Call a POISON CENTER/doctor/physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

Take off immediately all contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED: Rinse mouth. Call a POISON CENTER/doctor/physician if you feel unwell.

Storage

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Disposal

Dispose of contents/container in accordance with local/national regulation.

Specific Physical and Chemical hazards

Heating may cause fire.

3. Composition/information on ingredients

Mixture/Substance selection:

Substance

Common name, synonyms: 2-Butoxyethanol; Ethylene glycol mono-n-butyl ether

Ingredient name:Ethylene glycol monobutyl ether

Content (%):100

Chemical formula:C6H14O2

Chemicals No, Japan:2-407;2-2424; 7-97

CAS No.:111-76-2

MW:118.17

ECNO:203-905-0

Note : The figures shown above are not the specifications of the product.

4. First-aid measures

Descriptions of first-aid measures

General measures

Get medical advice/attention if you feel unwell.

Immediately call a POISON CENTER/doctor/physician.

Keep victim warm and quiet.

Call emergency medical service.

Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Give artificial respiration if victim is not breathing.

Administer oxygen if breathing is difficult.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water or shower.

Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

If skin irritation occurs: Get medical advice/attention.

Remove and isolate contaminated clothing and shoes.

For minor skin contact, avoid spreading material on unaffected skin.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

If victim is conscious, give 1 – 2 glasses of water.

Call a POISON CENTER/doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

(Symptoms when inhalation or ingestion)

Nausea. Abdominal pain. Diarrhoea. Headache. Drowsiness. Cough. Dizziness. Weakness. Vomiting.

(Symptoms when skin and/or eye contact)

Dry skin. Conjunctival redness of the eyes. Pain of the eyes. Blurred vision.

※May be absorbed into the skin.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

In case of fire, use water mist, alcohol-resistant foam, dry powder, CO2 to extinguish.

Unsuitable extinguishing media

Unsuitable extinguishing media data is not available.

Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Cool container with water spray.

Ethylene glycol Monobutylether,
JUNSEI CHEMICAL CO., LTD., 17366jis_J_E2-1,22/Aug/2022

Special protective equipment and precautions for fire-fighters

- Wear fire resistant or flame retardant clothing.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Firefighters should wear self-contained breathing apparatus with full face piece operated positive pressure mode.

6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

- Keep unauthorized personnel away.
- Ventilate area until material pick up is complete.
- Wear proper protective equipment.
- PUBLIC SAFETY:** Ventilate closed spaces before entering.
- EVACUATION :** Spill: See the Table of Initial Isolation and Protective Action Distances for highlighted substances. For non-highlighted substances, increase, in the downwind direction, as necessary, the isolation distance shown under "PUBLIC SAFETY".

Environmental precautions

- Avoid release to headsprings, rivers, lakes, ocean and groundwater.
- Fire or Explosion : Runoff may pollute waterways.

Methods and materials for containment and cleaning up

- Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Preventive measures for secondary accident

- Collect spillage.
- Stop leak if you can do it without risk.
- ELIMINATE** all ignition sources (no smoking, flares, sparks or flames in immediate area).
- Prevent entry into waterways, sewers, basements or confined areas.
- Keep out of low areas.

7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

- Do not breathe vapors/fume.

(Protective measures against fire and explosion)

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Exhaust/ventilator)

- Exhaust/ventilator should be available.

(Safety treatments)

- Avoid contact with skin.
- Avoid contact with eyes.

Safety Measures

- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Use only outdoors or in a well-ventilated area.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Use personal protective equipment as required.
- When using do not eat, drink or smoke.

Any incompatibilities

- Strong oxidizing agents should not be mixed with the chemicals.

Advice on general occupational hygiene

- Wash contaminated parts thoroughly after handling.
- Do not eat, drink or smoke when using this product.

Ethylene glycol Monobutylether,
JUNSEI CHEMICAL CO., LTD., 17366jis_J_E2-1,22/Aug/2022

Take off immediately all contaminated clothing and wash it before reuse.

Storage

Conditions for safe storage

Store in a well-ventilated place. Keep container tightly closed.

Keep cool. Protect from sunlight.

Store in accordance with local/national regulation.

Store locked up.

Container and packaging materials for safe handling data is not available.

Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

8. Exposure controls/personal protection

Control parameters

Control value

Japan control value (1995) \leq 25ppm

Adopted value

JSOH(2017) (ceiling) 20ppm; 97mg/m³ (dermal)

ACGIH(2003) TWA: 20ppm (Eye & URT irr)

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Respiratory protection

Wear respiratory protection.

Hand protection

Wear protective gloves. Recommended material(s): butyl rubber, viton

Consult with your glove and/or personnel equipment manufacturer for selection of appropriate compatible materials.

Eye protection

Wear safety glasses with side-shields.

Wear eye/face protection.

Skin and body protection

Wear impervious clothing and boots in case of repeated or prolonged treatment.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Liquid

Color: Colorless

Odor: Characteristic odor

Odor threshold: 9.3mg/L

Melting point/Freezing point: -75°C

Boiling point or initial boiling point: 171°C

Boiling range data is not available.

Flammability (gases, liquids and solids): Ignitable

Lower and upper explosion limit/flammability limit:

Lower explosion limit: (93°C) 1.1 vol %

Upper explosion limit: (135°C) 12.7 vol %

Flash point: (c.c.) 62°C

Auto-ignition temperature: 238°C

Ethylene glycol Monobutylether,
JUNSEI CHEMICAL CO., LTD., 17366jis_J_E2-1,22/Aug/2022

Decomposition temperature data is not available.

Self-Accelerating Decomposition Temperature/SADT data is not available.

pH data is not available.

Dynamic viscosity: 3.3mPas(20°C)

Kinematic viscosity: 3.7mm²/s(20°C)

Solubility:

Solubility in water: Miscible

Solubility in solvent: Soluble in ethyl alcohol, diethyl ether.

n-Octanol/water partition coefficient: log Pow0.83

Vapor pressure: 0.10 kPa (20°C)

Density and/or relative density: 0.900~0.905(20/20°C)

Relative vapor density (Air=1): 4.1

Relative density of the Vapor/air - mixture at 20°C (Air = 1): 1.03

Particle characteristics data is not available.

Other information

Critical temperature data is not available.

Evaporation rate data is not available.

VOC data is not available.

10. Stability and Reactivity

Reactivity

Runaway polymerization will not occur.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

May form explosive peroxides.

Reacts with strong oxidants. This generates fire and explosion hazard.

Conditions to avoid

Contact with incompatible materials.

Open flames. Heat. Sparks.

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon oxides

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[GHS Cat. Japan, base data]

rat LD50=470mg/kg, 917mg/kg (MOE risk assessment vol.6, 2008)

Acute toxicity (Dermal)

[GHS Cat. Japan, base data]

rabbit LD50=220mg/kg (ATSDR, 1998)

Acute toxicity (Inhalation)

[GHS Cat. Japan, base data]

vapor: rat LC50=450ppm/4hr (SIDS, 2007)

Irritant properties

Skin corrosion/irritation

[GHS Cat. Japan, base data]

rabbit : irritation (SIDS, 2006)

Ethyleneglycol Monobutylether,
JUNSEI CHEMICAL CO., LTD.,17366jis_J_E2-1,22/Aug/2022

Serious eye damage/irritation

[GHS Cat. Japan, base data]

rabbit (OECD TG405, GLP) : recover after 21 days (ECETOC TR95, 2005)

Allergenic and sensitizing effects data is not available.

Mutagenic effects data is not available.

Carcinogenicity

[IARC]

Group 3 : Not classifiable as to its carcinogenicity to humans

[ACGIH]

A3(2003) : Confirmed Animal Carcinogen with Unknown Relevance to Humans

[EPA]

NL; Not likely to be carcinogenic to humans(2005)

Reproductive toxicity

[GHS Cat. Japan, base data]

cat. 2; rat : SIDS, 2006

STOT

STOT-single exposure

[cat.1]

[GHS Cat. Japan, base data]

blood system,liver,respiratory system,kidneys (SIDS, 2007; EU-RAR, 2006)

[cat.3 (drow./dizz.)]

[GHS Cat. Japan, base data]

narcotic effect (SIDS, 2007; EU-RAR, 2006)

STOT-repeated exposure

[cat.1]

[GHS Cat. Japan, base data]

blood system (SIDS, 2007; CICAD 67, 2010)

Aspiration hazard data is not available.

12. Ecological Information

Ecotoxicity

Aquatic toxicity

Hazardous to the aquatic environment (Acute)

[GHS Cat. Japan, base data]

Fish (Cyprinodon variegatus) LC50=116mg/L/96hr (MOE risk assessment vol.6, 2008 et al.)

Water solubility

miscible (ICSC, 2003)

Persistence and degradability

BOD_Degradation : 96% (METI existing chemical safety inspections)

Bioaccumulative potential

log Pow=0.83 (PHYSPROP DB, 2005)

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Dispose of contents/container in accordance with local/national regulation.

14. Transport Information**UN No., UN CLASS**

UN No. or ID No.: 2810

UN Proper Shipping Name : TOXIC LIQUID, ORGANIC, N.O.S.

Class or division (Transport hazard class) : 6.1

Packing group : III

ERG GUIDE No.: 153

IMDG Code (International Maritime Dangerous Goods Regulations)

UN No.: 2810

Proper Shipping Name : TOXIC LIQUID, ORGANIC, N.O.S.

Class or division : 6.1

Packing group : III

IATA Dangerous Goods Regulations

UN No.: 2810

Proper Shipping Name : TOXIC LIQUID, ORGANIC, N.O.S.

Class or division : 6.1

Hazard labels : Toxic

Packing group : III

Environmental hazards**MARPOL Annex III – Prevention of pollution by harmful substances**

Marine pollutants (yes/no) : no

MARPOL Annex V – Prevention of pollution by garbage discharge

Specific target organ toxicity – repeated exposure: cat.1

Ethylene glycol monobutyl ether

Maritime transport in bulk according to IMO instruments

Noxious Liquid ; Cat. Y

Ethylene glycol monobutyl ether(Y-92)

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

111-76-2

All components are listed or exempted.

Superfund Amendments and Reauthorizations Act (SARA), Title III

SARA 313 (TRI)

Ethylene glycol monobutyl ether

Other regulatory information

We are not able to check up the regulatory information with regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Regulatory information in this section are limited to intentional ingredient(s), but does not contain information on non-intentional ingredients or impurities which are not informed by supplier(s).

Chemical safety assessment

Advice on safe handling for this product can be found in sections 7 and 8 of this SDS.

16. Other information**GHS classification and labelling**

H227–Flam. Liq. 4: H227 Combustible liquid
H302–Acute Tox. 4: H302 Harmful if swallowed
H311–Acute Tox. 3: H311 Toxic in contact with skin
H330–Acute Tox. 2: H330 Fatal if inhaled
H315–Skin Irrit. 2: H315 Causes skin irritation
H319–Eye Irrit. 2A: H319 Causes serious eye irritation
H361–Repr. 2: H361 Suspected of damaging fertility or the unborn child
H370–STOT SE 1: H370 Causes damage to organs
H336–STOT SE 3: H336 May cause drowsiness or dizziness
H372–STOT RE 1: H372 Causes damage to organs through prolonged or repeated exposure

Reference Book

Globally Harmonized System of classification and labelling of chemicals, UN
Recommendations on the TRANSPORT OF DANGEROUS GOODS 21th edit., 2019 UN
IMDG Code, 2018 Edition (Incorporating Amendment 39–18)
IATA Dangerous Goods Regulations (62nd Edition) 2021
2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)
2022 TLVs and BEIs. (ACGIH)
JIS Z 7252 : 2019
JIS Z 7253 : 2019
2021 Recommendation on TLVs (JSOH)
Supplier's data/information
Chemicals safety data management system "GHS Assistant" Version 4.18 (<https://www.asahi-ghs.com/>)
NITE Chemical Risk Information Platform "NITE-CHRIP"
(https://www.nite.go.jp/en/chem/chrip/chrip_search/systemTop)
GHS Classification Guidance for Enterprises 2019 Revised Edition (Ver. 2.0) (Mar. 2020, METI)

Definitions and Abbreviations

SDS (Safety Data Sheet)
LD50 (Lethal Dose, 50%)
LC50 (Lethal Concentration, 50%)
IARC (International Agency for Research on Cancer)
ACGIH (American Conference of Governmental Industrial Hygienists)
EPA (US Environmental Protection Agency)
NTP (US National Toxicology Program)
JSOH (Japan Society for Occupational Health)
EU (European Union)
EC50 (Effective Concentration, 50%)
NOEC (No Observed Effect Concentration)
BOD (Biochemical Oxygen Demand)
COD (Chemical Oxygen Demand)
BCF (Bioconcentration Factor)
anh (anhydride)

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2020).