

Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Sodium Bromate

Reference number(SDS): 37191jis_E-1

Product type:

Quasi-drug raw materials for Japan only

※This product conform to JSQI(Japanese Standards of Quasi-drug Ingredients).

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the product: Oxidizing agents

Uses advised against: Do not use for other purposes.

Details of the supplier of the safety data sheet

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-cho, Koshigaya-shi, Saitama 343-0844, Japan

Division: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

PHYSICAL AND CHEMICAL HAZARDS

Oxidizing solids: Category 2

HEALTH HAZARDS

Skin corrosion/irritation: Category 2

Serious eye damage/eye irritation: Category 2

Germ cell mutagenicity: Category 2

Carcinogenicity: Category 2

Specific target organ toxicity – single exposure: Category 1 (nervous system, kidney, blood system)

Specific target organ toxicity – single exposure: Category 3 (Narcotic effects)

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, short-term (acute): Category 3

Hazardous to the aquatic environment, long-term (chronic): Category 3

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

H272-May intensify fire; oxidizer

H315-Causes skin irritation

H319-Causes serious eye irritation

H341-Suspected of causing genetic defects

H351-Suspected of causing cancer

H370-Causes damage to organs (nervous system, kidney, blood system)

H336-May cause drowsiness or dizziness

H402–Harmful to aquatic life

H412–Harmful to aquatic life with long lasting effects

PRECAUTIONARY STATEMENT

Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid release to the environment.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep away from clothing and other combustible materials.

Do not breathe dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wash contaminated parts thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

Do not eat, drink or smoke when using this product.

Response

In case of fire: Use water in large amounts to extinguish.

IF exposed or concerned: Get medical advice/attention.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF exposed or concerned: Call a POISON CENTER/doctor/physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Storage

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Disposal

Dispose of contents/container in accordance with local/national regulation.

Specific Physical and Chemical hazards

Oxidizing material. Organic or combustible material may catch fire in contact with it.

Section 3. Composition/information on ingredients

Mixture/Substance selection:

Substance

Ingredient name: Sodium bromate

Content (%):(Dried) 98.5 <

Chemical formula: BrNaO3

Chemicals No, Japan: 1-115

CAS No.: 7789-38-0

MW: 150.89

EC No.: 232-160-4

Note : The figures shown above are not the specifications of the product.

Section 4. First-aid measures

Descriptions of first-aid measures

General measures

IF exposed or concerned: Get medical advice/attention.

Call a POISON CENTER/doctor/physician if you feel unwell.

Keep victim warm and quiet.
Call emergency medical service.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.
Give artificial respiration if victim is not breathing.
Administer oxygen if breathing is difficult.
Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water or shower.
Wash with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice/attention.
If skin irritation occurs: Get medical advice/attention.
Remove and isolate contaminated clothing and shoes.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.
Call a POISON CENTER/doctor/physician if you feel unwell.
Give a slurry of activated charcoal in water to drink.

Most important symptoms and effects, both acute and delayed

(Symptoms when inhalation or ingestion)

Cough. Sore throat. Abdominal pain. Diarrhoea. Drowsiness. Laboured breathing. Nausea.
Vomiting. Deafness. Unconsciousness.

(Symptoms when skin and/or eye contact)

Conjunctival redness of the eyes. Redness of the skin. Pain of the eyes.

Indication of any immediate medical attention and special treatment needed

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Section 5. Fire-fighting measures**Extinguishing media****Suitable extinguishing media**

In case of fire, use water in large amounts to extinguish.
Not combustible but enhances combustion of other substances.

Unsuitable extinguishing media

Dry chemicals, Foams.

Specific hazards arising from the substance or mixture

Containers may explode when heated.
Fire may produce irritating, corrosive and/or toxic gases.
Runoff from fire control or dilution water may cause pollution.
This product will accelerate burning when involved in a fire.

Advice for firefighters**Specific fire-fighting measures**

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.
Wear protective gloves/protective clothing/eye protection/face protection.
Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures**Personnel precautions, protective equipment and emergency procedures**

Keep unauthorized personnel away.

In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

PUBLIC SAFETY: Ventilate closed spaces before entering.

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Environmental precautions

Avoid release to headsprings, rivers, lakes, ocean and groundwater.

Runoff may create fire or explosion hazard.

Methods and materials for containment and cleaning up

With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.

If appropriate, moisten first to prevent dusting.

※Do NOT absorb in saw-dust or other combustible absorbents.

Preventive measures for secondary accident

Collect spillage.

Stop leak if you can do it without risk.

Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Do not get water inside containers.

Keep out of low areas.

Section 7. Handling and storage**Precautions for safe handling****Preventive measures**

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep away from clothing and other combustible materials.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

When using do not eat, drink or smoke.

May ignite combustibles (wood, paper, oil, clothing, etc.).

Contaminated clothing may be a fire risk when dry.

Any incompatibilities

Reducing agents, Fuels, Metal powder, Grease, Sulfur-containing compounds should not be mixed with the chemicals.

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.
Take off contaminated clothing and wash it before reuse.

Storage

Conditions for safe storage

Store in a well-ventilated place. Keep container tightly closed.
Keep cool. Protect from sunlight.
Store in accordance with local/national regulation.
Store locked up.

(Incompatible storage condition)

Separated from combustible substances and reducing agents.

Container and packaging materials for safe handling data is not available.

Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

Section 8. Exposure controls/personal protection

Control parameters

Control value and concentration standard value are not available in ISHA.

Adopted value

Adopted value in JSOH is not available.
Adopted value in ACGIH is not available.

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.
Eye wash station should be available.
Washing facilities should be available.

Individual protection measures

Respiratory protection

Select and wear respiratory protection in accordance with approved standards (e.g. JIS T8150).
Recommended respiratory protection: Dust mask

Hand protection

Wear protective gloves.
Inspect before use and replace worn or damaged gloves.
Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions.
Chemical-resistant, impervious gloves complying with an approved standard (e.g. JIS T8116) should be used.

Eye protection

Wear safety glasses with side-shields.
Wear eye/face protection in accordance with approved standards (e.g. JIS T8147).

Skin and body protection

Wear impervious clothing and boots in case of repeated or prolonged treatment.
Personal protective equipment for the body and skin should be selected based on the task being performed and the risks involved.

Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Crystalline powder
Color: Colorless~White
Odor: Odorless
Odor threshold data is not available.
Melting point/Freezing point: 381 °C

Boiling point or initial boiling point data is not available.

Boiling range data is not available.

Flammability (gases, liquids and solids) data is not available.

Lower and upper explosion limit/flammability limit data is not available.

Flash point data is not available.

Auto-ignition temperature data is not available.

Decomposition temperature: 381°C

Self-Accelerating Decomposition Temperature/SADT data is not available.

pH data is not available.

Dynamic viscosity data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: 36.4 g/100 ml (20 °C)

Solubility in solvent: Insoluble in ethanol

n-Octanol/water partition coefficient data is not available.

Vapor pressure data is not available.

Density and/or relative density: 3.34

Relative vapor density (Air=1) data is not available.

Relative density of the Vapor/air – mixture at 20°C (Air = 1) data is not available.

Particle characteristics data is not available.

Other information

Critical temperature data is not available.

Evaporation rate data is not available.

VOC data is not available.

Section 10. Stability and Reactivity

Reactivity

Will turn shock-sensitive if contaminated with organic substances, metals and carbon.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

Decomposes on heating. This produces toxic and corrosive fumes.

This product is a strong oxidant. It reacts violently with combustible and reducing materials, fuels, metal powder, grease and sulfur-containing compounds. This generates fire and explosion hazard.

Conditions to avoid

Contact with incompatible materials.

Open flames. Heating.

Incompatible materials

Reducing agents, Fuels, Metal powder, Grease, Sulfur-containing compounds. Combustible substances

Hazardous decomposition products

Hydrogen bromide, Bromides. Sodium oxides

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Acute toxicity (Dermal)

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Acute toxicity (Inhalation)

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Irritant properties

Skin corrosion/irritation

[Product]

Category 2, Causes skin irritation

[Data for components of the product]

[GHS Cat. Japan, base data]

human : irritation (HSDB, Access on Jun. 2017);

rabbit(bromine or bromate) : burn injury with long-term contact, recover in a few days(PATTY 6th, 2012)

Serious eye damage/irritation

[Product]

Category 2, Causes serious eye irritation

[Data for components of the product]

[GHS Cat. Japan, base data]

human : irritation (HSDB, Access on Jun. 2017);

rabbit(bromine or bromate): Moderate irritation and mild corneal injury, recovered in a few days

(PATTY 6th, 2012)

Sensitization

Respiratory sensitization

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Skin sensitization

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Germ cell mutagenicity

[Product]

Category 2, Suspected of causing genetic defects

[Data for components of the product]

[GHS Cat. Japan, base data]

cat. 2; NTP DB, Access on Jul. 2017; NTP GMM 6, 2007; HSDB, Access on Jun. 2017

Carcinogenicity

[Product]

Category 2, Suspected of causing cancer

[Data for components of the product]

[GHS Cat. Japan, base data]

cat.2; IARC Gr .2B (IARC 73, 1999 (Potassium bromate))

Reproductive toxicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Specific target organ toxicity (STOT)

STOT-single exposure

[Product]

Category 1, Causes damage to organs

Category 3, May cause drowsiness or dizziness

[Data for components of the product]

[cat.1]

[GHS Cat. Japan, base data]

blood system, nervous system, kidneys (HSDB, Access on Jun., 2017; PATTY 6th, 2012; EHC216, 2000; IRIS, 2001)

[cat.3 (narcotic effects)]

[GHS Cat. Japan, base data]

narcotic effect (HSDB, Access on Jun., 2017; PATTY 6th, 2012; EHC 216, 2000; IRIS, 2001)

STOT-repeated exposure

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Aspiration hazard

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Section 12. Ecological Information

Toxicity

Aquatic toxicity

[Product]

Category 3, Harmful to aquatic life

Category 3, Harmful to aquatic life with long lasting effects

[Data for components of the product]

Hazardous to the aquatic environment, short-term (acute)

[GHS Cat. Japan, base data]

Fish (*Morone saxatilis*) LC50=36.3mg/L/96hr (Bromic acid conc.: 30.8mg/L, calc.) (NLM HSDB, 2009)

Water solubility

[Data for components of the product]

36.4 g/100 ml (20°C) (ICSC, 2006)

Persistence and degradability

Persistence and degradability data is not available.

Bioaccumulative potential

Bioaccumulative potential data is not available.

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Avoid release to the environment.

Dispose of contents/container in accordance with local/national regulation.

Section 14. Transport Information**UN No., UN CLASS**

UN Number or ID Number : 1494
UN Proper Shipping Name : SODIUM BROMATE
Class or division (Transport hazard class) : 5.1
Packing group : II
ERG GUIDE No.: 140

IMDG Code (International Maritime Dangerous Goods Regulations)

UN Number or ID Number : 1494
UN Proper Shipping Name : SODIUM BROMATE
Class or division (Transport hazard class) : 5.1
Packing group : II

IATA (Dangerous Goods Regulations)

UN Number or ID Number : 1494
UN Proper Shipping Name : SODIUM BROMATE
Class or division (Transport hazard class) : 5.1
Hazard labels : Oxidizer
Packing group : II

Environmental hazards

Marine pollutants (yes/no) : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable to Transport in bulk according to Annex II of MARPOL and the IBC Code

Section 15. Regulatory Information**Safety, health and environmental regulations/legislation specific for the substance or mixture****Mutagen [MHLW_J Notice]**

Sodium bromate

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory
7789-38-0

All components are listed or exempted.

Other regulatory information

We are not able to check up the regulatory information with regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Regulatory information in this section are limited to intentional ingredient(s), but does not contain information on non-intentional ingredients or impurities which are not informed by supplier(s).

Chemical safety assessment

Advice on safe handling for this product can be found in sections 7 and 8 of this SDS.

Section 16. Other information**GHS classification and labelling**

H272-Oxidising Solids, Category 2: H272 May intensify fire; oxidiser

H315-Skin corrosion/irritation, Category 2: H315 Causes skin irritation

H319-Serious eye damage/eye irritation, Category 2: H319 Causes serious eye irritation

H341-Germ cell mutagenicity, Category 2: H341 Suspected of causing genetic defects

Sodium Bromate, JUNSEI CHEMICAL CO., LTD., 37191jis_E-1,14/Jun/2024

H351-Carcinogenicity, Category 2: H351 Suspected of causing cancer

H370-STOT – single exposure, Category 1: H370 Causes damage to organs

H336-STOT – single exposure, Category 3, Narcotic effects: H336 May cause drowsiness or dizziness.

H402-Hazardous to the aquatic environment, short-term (acute), Category 3: H402 Harmful to aquatic life

H412-Hazardous to the aquatic environment, long-term (chronic), Category 3: H412 Harmful to aquatic life with long lasting effects

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 22nd edit., 2021 UN

IMDG Code, 2022 Edition (Incorporating Amendment 41-22)

IATA Dangerous Goods Regulations (65th Edition) 2024

2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2024 TLVs and BEIs. (ACGIH)

JIS Z 7252 : 2019

JIS Z 7253 : 2019

2023 Recommendation on TLVs (JSOH)

Notification No. 0111-1 (January 11, 2022), Chemical Hazards Control Division, Industrial

Safety and Health Department, Labour Standards Bureau, MHLW in Japan

Supplier's data/information

Chemicals safety data management system "GHS Assistant" Version 4.28 (<https://www.asahi-ghs.com/>)

NITE Chemical Risk Information Platform "NITE-CHRIP"

(https://www.chem-info.nite.go.jp/chem/chrip/chrip_search/systemTop)

GHS Classification Guidance for Enterprises 2019 Revised Edition (Ver. 2.0) (Mar. 2020, METI)

Abbreviations and acronyms

SDS (Safety Data Sheet)

LD50 (Lethal Dose, 50%)

LC50 (Lethal Concentration, 50%)

IARC (International Agency for Research on Cancer)

ACGIH (American Conference of Governmental Industrial Hygienists)

EPA (US Environmental Protection Agency)

NTP (US National Toxicology Program)

METI (Ministry of Economy, Trade and Industry in Japan)

MHLW (Ministry of Health, Labour and Welfare in Japan)

MOE (Ministry of the Environment in Japan)

JSOH (Japan Society for Occupational Health)

ISHA (Industrial Safety and Health Act in Japan)

CSCL (Chemical Substances Control Law in Japan)

EU (European Union)

EC50 (Effective Concentration, 50%)

NOEC (No Observed Effect Concentration)

BOD (Biochemical Oxygen Demand)

COD (Chemical Oxygen Demand)

BCF (Bioconcentration Factor)

anh (anhydride)

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2022).