

## Safety Data Sheet

### 1. Identification of the substance/mixture and of the company/undertaking

#### Product identifier:

Product name: Sulfuric acid

Product code (SDS NO): 83010jis\_E-3

#### Details of the supplier of the safety data sheet

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-cho, Koshigaya-shi, Saitama 343-0844, Japan

Division: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

### 2. Hazards identification

#### GHS classification and label elements of the product

#### Classification of the substance or mixture

##### HEALTH HAZARDS

Acute toxicity (Inhalation): Category 2

Skin corrosion/irritation: Category 1A

Serious eye damage/eye irritation: Category 1

Specific target organ toxicity – single exposure: Category 1 (respiratory system)

Specific target organ toxicity – repeated exposure: Category 1 (respiratory system)

##### ENVIRONMENT HAZARDS

Hazardous to the aquatic environment (Acute): Category 3

Hazardous to the aquatic environment (Long-term): Category 1

(Note) GHS classification without description: Not classified/Classification not possible

#### Label elements



Signal word: Danger

#### HAZARD STATEMENT

H330-Fatal if inhaled

H314-Causes severe skin burns and eye damage

H318-Causes serious eye damage

H370-Causes damage to organs after single exposure

H372-Causes damage to organs through prolonged or repeated exposure

H402-Harmful to aquatic life

H410-Very toxic to aquatic life with long lasting effects

#### PRECAUTIONARY STATEMENT

##### Prevention

Avoid release to the environment.

Do not breathe dust/mist.

Wear respiratory protection.(as specified by the manufacturer/supplier or the competent authority.)

Use only outdoors or in a well-ventilated area.

Wash contaminated parts thoroughly after handling.

Wear protective gloves, protective clothing or face protection.

Wear eye protection/face protection.

Do not eat, drink or smoke when using this product.

#### Response

Collect spillage.

Get medical advice/attention if you feel unwell.

Immediately call a POISON CENTER or doctor/physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

#### Storage

Store in a well-ventilated place. Keep container tightly closed.

#### Disposal

Dispose of contents/container in accordance with local/national regulation.

---

### 3. Composition/information on ingredients

#### Mixture/Substance selection:

##### Substance

Ingredient name: Sulfuric acid

Content (%): 95.0 <

Chemical formula: H<sub>2</sub>O<sub>4</sub>S

Chemicals No, Japan: 1-430

CAS No.: 7664-93-9

MW: 98.08

ECNO: 231-639-5

---

### 4. First-aid measures

#### Descriptions of first-aid measures

##### General measures

Get medical attention/advice if you feel unwell.

Immediately call a POISON CENTER or doctor/physician.

##### IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

##### IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water/shower.

If skin irritation or rash occurs: Get medical advice/attention.

##### IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

##### IF SWALLOWED

Rinse mouth. Do NOT induce vomiting.

Call a POISON CENTER or doctor/physician if you feel unwell.

#### Most important symptoms and effects, both acute and delayed

##### (Symptoms when inhalation or ingestion)

Burning sensation. Sore throat, Cough. Laboured breathing. Shortness of breath. Burns in mouth and throat.

Abdominal pain. Vomiting. Shock or collapse.

※Inhalation may cause lung oedema.

##### (Symptoms when skin and/or eye contact)

Redness. Pain. Blisters. Serious burns.

Protective measures for first aid

Protect yourself by wearing rubber gloves and air-tight safety goggles.

Indication of any immediate medical attention and special treatment needed

The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort.

Rest and medical observation are therefore essential.

---

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.

The product is non-flammable.

Unsuitable extinguishing media

Never use water.

Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

In case of fire: keep drums, etc., cool by spraying with water. NO direct contact with water.

Special protective equipment and precautions for fire-fighters

Wear fire/ flame resistant/retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with full face piece operated positive pressure mode.

---

6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

PUBLIC SAFETY: Ventilate closed spaces before entering.

Environmental precautions

Avoid release to headsprings, rivers, lakes, ocean and groundwater.

Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Do NOT absorb in saw-dust or other combustible absorbents.

Cautiously neutralize remainder with lime or soda ash.

Preventive measures for secondary accident

Collect spillage.

Stop leak if you can do it without risk.

Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Use water spray to reduce vapors; do not put water directly on leak, spill area or inside container.

---

## 7. Handling and storage

### Precautions for safe handling

#### Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/mist.

(Protective measures against fire and explosion)

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

#### Safety Measures

Use only outdoors or in a well-ventilated area.

Wear protective gloves, protective clothing or face protection.

Wear eye protection/face protection.

Use personal protective equipment as required.

When using do not eat, drink or smoke.

Reaction with water may generate much heat which will increase the concentration of fumes in the air.

#### Any incompatibilities

Bases, Reducing agents, Combustible substances including organic materials, water should not be mixed with the chemicals.

#### Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

#### Storage

##### Conditions for safe storage

Store in a well-ventilated place. Keep container tightly closed.

Keep cool. Protect from sunlight.

Store locked up.

Container and packaging materials for safe handling data is not available.

---

## 8. Exposure controls/personal protection

### Control parameters

Control value in MHLW is not available.

#### Adopted value

JSOH(2000) (ceiling) 1mg/m<sup>3</sup>

ACGIH(2000) TWA: 0.2mg/m<sup>3</sup>(T) (Pulm func)

#### OSHA-PEL

TWA: 1mg/m<sup>3</sup>

#### NIOSH-REL

TWA: 1mg/m<sup>3</sup>

### Exposure controls

#### Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

#### Individual protection measures

##### Respiratory protection

Wear respiratory protection.

Wear positive pressure self-contained breathing apparatus (SCBA).

**Hand protection**

Wear protective gloves. Recommended material(s): viton  
Consult with your glove and/or personnel equipment manufacturer for selection of appropriate compatible materials.

**Eye protection**

Wear chemical safety goggle.

Wear eye/face protection.

**Skin and body protection**

Wear impervious clothing and boots in case of repeated or prolonged treatment.

---

**9. Physical and Chemical Properties****Information on basic physical and chemical properties**

Physical state: Oily liquid

Color: Colorless-clear

Odor: None

Odor threshold data is not available.

pH: pH  $\leq$  1 (Strongly acidic)

Boiling point or initial boiling point: 337°C

Boiling range data is not available.

Evaporation rate data is not available.

Melting point/Freezing point: 10°C

Decomposition temperature: 340°C

Self-Accelerating Decomposition Temperature/SADT data is not available.

Flammability (gases, liquids and solids): Non-ignitable

Flash point data is not available.

Auto-ignition temperature data is not available.

Critical temperature data is not available.

Lower and upper explosion limit/flammability limit data is not available.

Vapor pressure:  $< 10$  Pa (20°C)

VOC data is not available.

Relative vapor density (Air=1): 3.4

Relative density of the Vapor/air - mixture at 20°C (Air = 1) data is not available.

Density and/or relative density: 1.84g/cm<sup>3</sup>(20°C)

Dynamic viscosity: ca. 24mPas(20°C)

Kinematic viscosity data is not available.

**Solubility:**

Solubility in water: Miscible

Solubility in solvent: Miscible with alcohol.

n-Octanol/water partition coefficient data is not available.

No Particle characteristics data is not available.

---

**10. Stability and Reactivity****Reactivity**

React with water.

**Chemical stability**

Stable under normal storage/handling conditions.

Hygroscopic.

**Possibility of hazardous reactions**

Decomposes on heating. This produces toxic and corrosive gases.

The substance is a strong oxidant. It reacts with combustible and reducing materials and organic materials.

This generates fire and explosion hazard.

The substance is a strong acid. It reacts violently with bases and is corrosive to most

common metals forming a flammable/explosive gas.

Reacts violently with water. This generates heat and fire or explosion hazard.

Attacks many plastics.

Conditions to avoid

Contact with incompatible materials.

Heat.

Incompatible materials

Bases, Strong oxidizing agents, Reducing agents, Metals, Combustible substances including organic materials, water

Hazardous decomposition products

Sulfur oxides, Hydrogen gas

---

## 11. Toxicological Information

### Information on toxicological effects

#### Acute toxicity

##### Acute toxicity (Oral)

[GHS Cat. Japan, base data]

rat LD50=2140mg/kg (SIDS, 2001)

##### Acute toxicity (Inhalation)

[GHS Cat. Japan, base data]

mist: rat LC50=0.347mg/L/4hr (SIDS, 2001)

##### Labor standard law, Japan; Toxic

Sulfuric acid

#### Irritant properties

##### Skin corrosion/irritation

[GHS Cat. Japan, base data]

corrosive substance

##### Serious eye damage/irritation

[GHS Cat. Japan, base data]

human : severe damage (ATSDR, 1998)

Allergenic and sensitizing effects data is not available.

Mutagenic effects data is not available.

#### Carcinogenicity

[GHS Cat. Japan, base data]

Sulfuric acids itself was classified into the category 4 (DFGOT vol.15, 2001). Also, none of those institutions has not carried out the carcinogenic classification.

IARC-Gr.1 : Carcinogenic to humans

ACGIH-A2(2000) : Suspected Human Carcinogen

Reproductive toxicity data is not available.

#### STOT

##### STOT-single exposure

[cat.1]

[GHS Cat. Japan, base data]

respiratory apparatus/system (ATSDR, 1998)

##### STOT-repeated exposure

[cat.1]

[GHS Cat. Japan, base data]

respiratory apparatus/system (ATSDR, 1998)

Aspiration hazard data is not available.

---

## 12. Ecological Information

### Ecotoxicity

#### Aquatic toxicity

H402–Harmful to aquatic life

H410–Very toxic to aquatic life with long lasting effects

#### Aquatic acute toxicity component(s) data

[GHS Cat. Japan, base data]

Fish (bluegill) LC50(pH3.25~3.5)=16~28mg/L/96hr (OECD SIDS, 2001)

#### Aquatic chronic toxicity component(s) data

[GHS Cat. Japan, base data]

Fish (Gambusia affinis) NOEC(pH6.0)=0.025mg/L/45days (OECD SIDS, 2001)

### Water solubility

miscible (ICSC, 2000)

Persistence and degradability data is not available.

Bioaccumulative potential data is not available.

Mobility in soil data is not available.

Ozone depleting chemical data is not available.

---

## 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

### Waste treatment methods

Avoid release to the environment (– if this is not the intended use).

Dispose of contents/container in accordance with local/national regulation.

---

## 14. Transport Information

### UN No., UN CLASS

UN No.: 1830

Proper Shipping Name : SULPHURIC ACID with more than 51% acid

Class or division : 8

Packing group : II

ERG GUIDE No.: 137

### IMDG Code (International Maritime Dangerous Goods Regulations)

UN No.: 1830

Proper Shipping Name : SULPHURIC ACID with more than 51% acid

Class or division : 8

Packing group : II

### IATA Dangerous Goods Regulations

UN No.: 1830

Proper Shipping Name : SULPHURIC ACID with more than 51% acid

Class or division : 8

Hazard labels : Corrosive

Packing group : II

### Environmental hazards

MARPOL Annex III – Prevention of pollution by harmful substances

Marine pollutants (yes/no) : yes

---

## 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Environmental hazards

MARPOL Annex V – Prevention of pollution by garbage discharge

Specific target organ toxicity – repeated exposure: cat.1

Sulfuric acid

Hazardous to the aquatic environment – long-term hazard: cat.1, 2

Sulfuric acid

Transport in bulk according to Annex II of MARPOL73/78 and IBC Code

Noxious Liquid ; Cat. Y

Sulfuric acid

US major regulations

TSCA

Sulfuric acid

Other regulatory information

We are not able to check up the regulatory information with regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Regulatory information in this section are limited to intentional ingredient(s), but does not contain information on non-intentional ingredients or impurities which are not informed by supplier(s).

---

## 16. Other information

GHS classification and labelling

H330–Acute Tox. 2: H330 Fatal if inhaled

H314–Skin Corr. 1A: H314 Causes severe skin burns and eye damage

H318–Eye Dam. 1: H318 Causes serious eye damage

H370–STOT SE 1: H370 Causes damage to organs after single exposure

H372–STOT RE 1: H372 Causes damage to organs through prolonged or repeated exposure

H402–Aquatic Acute 3: H402 Harmful to aquatic life

H410–Aquatic Chronic 1: H410 Very toxic to aquatic life with long lasting effects

Reference Book

Globally Harmonized System of classification and labelling of chemicals, (6th ed., 2015), UN Recommendations on the TRANSPORT OF DANGEROUS GOODS 20th edit., 2017 UN IMDG Code, 2018 Edition (Incorporating Amendment 39–18)

IATA Dangerous Goods Regulations (60th Edition) 2019

Classification, labelling and packaging of substances and mixtures (table3–1 ECNO6182012)

2016 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2019 TLVs and BEIs. (ACGIH)

<http://monographs.iarc.fr/ENG/Classification/index.php>

JIS Z 7253 : 2019

JIS Z 7252 : 2019

2019 Recommendation on TLVs (JSOH)

Supplier's data/information

Chemicals safety data management system "GHS Assistant" (<https://www.asahi-ghs.com/>)

NITE Chemical Risk Information Platform (NITE-CHRIP)

[https://www.nite.go.jp/en/chem/chrip/chrip\\_search/systemTop](https://www.nite.go.jp/en/chem/chrip/chrip_search/systemTop)

GHS Classification Guidance for Enterprises 2013 Revised Edition (Aug. 2013, METI)



**General Disclaimer**

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2018).