

Safety Data Sheet

1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Phenolphthalein ethanol(90) solution (1g/L)

Reference number(SDS):96704jis_J_E2-1

Product type:

Reagent

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the product: For titration

Uses advised against: Do not use for other purposes.

Details of the supplier of the safety data sheet

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-cho, Koshigaya-shi, Saitama 343-0844, Japan

Division: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

PHYSICAL AND CHEMICAL HAZARDS

Flammable liquids: Category 2

HEALTH HAZARDS

Serious eye damage/eye irritation: Category 2B

Carcinogenicity: Category 1A

Reproductive toxicity: Category 1A

Specific target organ toxicity – single exposure: Category 3 (Respiratory tract irritation)

Specific target organ toxicity – single exposure: Category 3(Narcosis)

Specific target organ toxicity – repeated exposure: Category 1(liver)

Specific target organ toxicity – repeated exposure: Category 2(central nervous system)

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

H225-Highly flammable liquid and vapor

H320-Causes eye irritation

H350-May cause cancer

H360-May damage fertility or the unborn child

H335-May cause respiratory irritation

H336-May cause drowsiness or dizziness

H372-Causes damage to organs through prolonged or repeated exposure

H373-May cause damage to organs through prolonged or repeated exposure

Phenolphthalein ethanol(90) solution (1g/L),
JUNSEI CHEMICAL CO., LTD.,96704jis_J_E2-1,08/Jul/2022

PRECAUTIONARY STATEMENT

Prevention

- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Keep container tightly closed.
- Ground and bond container and receiving equipment.
- Use explosion-proof electrical/ventilating/lighting equipment.
- Use non-sparking tools.
- Take action to prevent static discharges.
- Do not breathe dust/fume/gas/mist/vapors/spray.
- Use only outdoors or in a well-ventilated area.
- Wash contaminated parts thoroughly after handling.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Use personal protective equipment as required.
- Do not eat, drink or smoke when using this product.

Response

- In case of fire: Use appropriate media to extinguish.
- Get medical advice/attention if you feel unwell.
- IF exposed or concerned: Get medical advice/attention.
- Call a POISON CENTER/doctor/physician if you feel unwell.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.

Storage

- Store in a well-ventilated place. Keep container tightly closed. Keep cool.
- Store locked up.

Disposal

- Dispose of contents/container in accordance with local/national regulation.

Specific Physical and Chemical hazards

- Highly flammable liquid. Vapor/air mixture may explode.

3. Composition/information on ingredients

Mixture/Substance selection:

Mixture

Ingredient name:Phenolphthalein
Content (%):ca. 0.1
Chemical formula:C₂₀H₁₄O₄
Chemicals No, Japan:9-1152
CAS No.:77-09-8
MW:318.33
ECNO:201-004-7

Ingredient name:Ethanol
Content (%):ca. 85.7
Chemical formula:C₂H₅OH
Chemicals No, Japan:2-202
CAS No.:64-17-5
MW:46.07
ECNO:200-578-6

Phenolphthalein ethanol(90) solution (1g/L),
JUNSEI CHEMICAL CO., LTD.,96704jis_J_E2-1,08/Jul/2022

Ingredient name:Water

Content (%):Residual quantity of the ingredient mentioned above.

Chemical formula:H2O

CAS No.:7732-18-5

MW:18.02

ECNO:231-791-2

Note : The figures shown above are not the specifications of the product.

Components contributing to the hazard

Carcinogenic (Article 57a) in REACH SVHC candidate list

Phenolphthalein

4. First-aid measures

Descriptions of first-aid measures

General measures

Get medical advice/attention if you feel unwell.

Keep victim warm and quiet.

Call emergency medical service.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Give artificial respiration if victim is not breathing.

Administer oxygen if breathing is difficult.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water or shower.

If skin irritation or rash occurs: Get medical advice/attention.

Remove and isolate contaminated clothing and shoes.

In case of burns, immediately cool affected skin for as long as possible with child water.

Do not remove clothing if adhering to skin.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Call a POISON CENTER/doctor/physician if you feel unwell.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

In case of fire, use water mist, foam, dry powder, CO2 to extinguish.

Unsuitable extinguishing media

Unsuitable extinguishing media data is not available.

Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Cool container with water spray.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Phenolphthalein ethanol(90) solution (1g/L),
JUNSEI CHEMICAL CO., LTD.,96704jis_J_E2-1,08/Jul/2022

Wear protective gloves/protective clothing/eye protection/face protection.
Firefighters should wear self-contained breathing apparatus with full face piece operated positive pressure mode.

6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.
In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.
Ventilate area until material pick up is complete.
Wear proper protective equipment.
PUBLIC SAFETY: Ventilate closed spaces before entering.
Do not touch or walk through spilled material.

Environmental precautions

Runoff to sewer may create fire or explosion hazard.
Vapor explosion hazard indoors, outdoors or in sewers.
Avoid release to headsprings, rivers, lakes, ocean and groundwater.

Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.
Sweep up, place in a bag and hold for waste disposal.
Use clean non-sparking tools to collect absorbed material.
All equipment used when handling the product must be grounded.

Preventive measures for secondary accident

Collect spillage.
Stop leak if you can do it without risk.
ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).
Prevent entry into waterways, sewers, basements or confined areas.
Keep out of low areas.

7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

When using do not eat, drink or smoke.

Phenolphthalein ethanol(90) solution (1g/L),
JUNSEI CHEMICAL CO., LTD.,96704jis_J_E2-1,08/Jul/2022

Any incompatibilities

Strong oxidizing agents should not be mixed with the chemicals.

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Storage

Conditions for safe storage

Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Keep cool. Protect from sunlight.

Store in accordance with local/national regulation.

Store locked up.

Container and packaging materials for safe handling data is not available.

Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

8. Exposure controls/personal protection

Control parameters

Control value in MHLW is not available.

Adopted value

(Ethanol)

Adopted value in JSOH is not available.

ACGIH(2009) STEL: 1000ppm (URT irr)

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Respiratory protection

Wear respiratory protection.

Hand protection

Wear protective gloves. Recommended material(s): butyl rubber, viton

Consult with your glove and/or personnel equipment manufacturer for selection of appropriate compatible materials.

Eye protection

Wear safety glasses with side-shields.

Wear eye/face protection.

Skin and body protection

Wear impervious clothing and boots in case of repeated or prolonged treatment.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Liquid

Color: Colorless

Odor: Characteristic odor

Odor threshold data is not available.

Melting point/Freezing point data is not available.

Boiling point or initial boiling point: 79°C(Ethanol)

Boiling range data is not available.

Flammability (gases, liquids and solids): Ignitable

Lower and upper explosion limit/flammability limit data is not available.

Phenolphthalein ethanol(90) solution (1g/L),
JUNSEI CHEMICAL CO., LTD.,96704jis_J_E2-1,08/Jul/2022

Flash point: 13°C(Ethanol)

Auto-ignition temperature: 363°C(Ethanol)

Decomposition temperature data is not available.

Self-Accelerating Decomposition Temperature/SADT data is not available.

pH data is not available.

Dynamic viscosity data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: Soluble

Solubility in solvent data is not available.

n-Octanol/water partition coefficient data is not available.

Vapor pressure data is not available.

Vapor density data is not available.

Density and/or relative density data is not available.

Relative vapor density (Air=1) data is not available.

Relative density of the Vapor/air - mixture at 20°C (Air = 1) data is not available.

Particle characteristics data is not available.

Other information

Critical temperature data is not available.

Evaporation rate data is not available.

VOC data is not available.

10. Stability and Reactivity

Reactivity

Reactivity data is not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

Possibility of hazardous reactions data is not available.

Conditions to avoid

Contact with incompatible materials.

Open flames. Heat. Sparks.

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon oxides

11. Toxicological Information

Information on toxicological effects

Acute toxicity data is not available.

Irritant properties

Skin corrosion/irritation data is not available.

Serious eye damage/irritation

[GHS Cat. Japan, base data]

(Ethanol)

rabbit : Corneal opacity, iritis, conjunctival redness and chemosis recover within 7 days

(ECETOC TR No.48(2), 1998 et al.)

Allergenic and sensitizing effects data is not available.

Mutagenic effects data is not available.

Carcinogenicity

[GHS Cat. Japan, base data]

(Phenolphthalein) cat.2; IARC Gr, 2B (IARC 76, 2000 et al.)

Phenolphthalein ethanol(90) solution (1g/L),
JUNSEI CHEMICAL CO., LTD.,96704jis_J_E2-1,08/Jul/2022

(Ethanol) cat.1A; (IARC, 2010)

[IARC]

(Phenolphthalein)Group 2B : Possibly carcinogenic to humans

(Ethanol) Group 1 : Carcinogenic to humans

[ACGIH]

(Ethanol) A3(2009) : Confirmed Animal Carcinogen with Unknown Relevance to Humans

[NTP]

(Phenolphthalein) RAHC : Reasonably Anticipated to be Human Carcinogens

[EU]

(Phenolphthalein) Category 1B; Substances presumed to have carcinogenic potential for humans

Reproductive toxicity

[GHS Cat. Japan, base data]

(Phenolphthalein) cat. 1B; mouse : IARC 76, 2000

(Ethanol) cat. 1A; human : PATTY 6th, 2012

Teratogenic effects data is not available.

STOT

STOT-single exposure

[cat.3 (resp. irrit.)]

[GHS Cat. Japan, base data]

(Ethanol)

respiratory tract irritation (PATTY 6th, 2012)

[cat.3 (drow./dizz.)]

[GHS Cat. Japan, base data]

(Ethanol) narcotic effect (PATTY 6th, 2012; SIDS, 2005)

STOT-repeated exposure

[cat.1]

[GHS Cat. Japan, base data]

(Ethanol) liver (DFGOT vol.12, 1999)

[cat.2]

[GHS Cat. Japan, base data]

(Ethanol) central nervous system (HSDB, Access on Jun. 2013)

Aspiration hazard data is not available.

Information on other hazards

Data on the preparation itself is not available.

12. Ecological Information

Ecotoxicity

Aquatic toxicity

Hazardous to the aquatic environment (Acute)

[GHS Cat. Japan, base data]

(Ethanol) Algae (Chlorella) EC50=1000mg/L/96hr (SIDS, 2005)

Hazardous to the aquatic environment (Long-term)

[GHS Cat. Japan, base data]

(Ethanol) Crustacea (Ceriodaphnia reticulata) NOEC=9.6mg/L/10days (SIDS, 2005)

Water solubility

(Ethanol) miscible (ICSC, 2000)

Persistence and degradability

(Ethanol) Degrade rapidly[BOD_Degradation : 89% (METI existing chemical safety inspections, 1993)]

Bioaccumulative potential

(Ethanol) log Pow=-0.32 (ICSC, 2000)

Mobility in soil

Mobility in soil data is not available.

Phenolphthalein ethanol(90) solution (1g/L),
JUNSEI CHEMICAL CO., LTD.,96704jis_J_E2-1,08/Jul/2022

Other adverse effects

Ozone depleting chemical data is not available.

Additional data

Data on the preparation itself is not available.

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Dispose of contents/container in accordance with local/national regulation.

14. Transport Information

UN No., UN CLASS

UN No. or ID No.: 1170

UN Proper Shipping Name :

ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Class or division (Transport hazard class) : 3

Packing group : II

ERG GUIDE No.: 127

IMDG Code (International Maritime Dangerous Goods Regulations)

UN No.: 1170

Proper Shipping Name :

ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Class or division : 3

Packing group : II

IATA Dangerous Goods Regulations

UN No.: 1170

Proper Shipping Name :

ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Class or division : 3

Hazard labels : Flamm.liquid

Packing group : II

Environmental hazards

MARPOL Annex III – Prevention of pollution by harmful substances

Marine pollutants (yes/no) : no

MARPOL Annex V – Prevention of pollution by garbage discharge

Carcinogenicity: cat.1, 1A, 1B

Ethanol

Reproductive toxicity: cat.1, 1A, 1B

Ethanol

Specific target organ toxicity – repeated exposure: cat.1

Ethanol

Maritime transport in bulk according to IMO instruments

Noxious Liquid ; Cat. Z

Ethanol(Z-21)

Non Noxious Liquid ; Cat. OS

Water(OS-18)

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

List of substances subject to authorisation (REACH, Annex XIV)/SVHC – candidate list

Carcinogenic (Article 57a)

Phenolphthalein

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

64-17-5; 77-09-8; 7732-18-5

All components are listed or exempted.

Superfund Amendments and Reauthorizations Act (SARA), Title III

SARA 313 (TRI)

Phenolphthalein

Other regulatory information

We are not able to check up the regulatory information with regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Regulatory information in this section are limited to intentional ingredient(s), but does not contain information on non-intentional ingredients or impurities which are not informed by supplier(s).

Chemical safety assessment

Advice on safe handling for this product can be found in sections 7 and 8 of this SDS.

16. Other information

GHS classification and labelling

H225-Flam. Liq. 2: H225 Highly flammable liquid and vapor

H320-Eye Irrit. 2B: H320 Causes eye irritation

H350-Carc. 1A: H350 May cause cancer

H360-Repr. 1A: H360 May damage fertility or the unborn child

H335-STOT SE 3: H335 May cause respiratory irritation

H336-STOT SE 3: H336 May cause drowsiness or dizziness

H372-STOT RE 1: H372 Causes damage to organs through prolonged or repeated exposure

H373-STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure

Reference Book

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 21th edit., 2019 UN

IMDG Code, 2018 Edition (Incorporating Amendment 39-18)

IATA Dangerous Goods Regulations (62nd Edition) 2021

2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2022 TLVs and BEIs. (ACGIH)

JIS Z 7252 : 2019

JIS Z 7253 : 2019

2021 Recommendation on TLVs (JSOH)

Supplier's data/information

Chemicals safety data management system "GHS Assistant" Version 4.18 (<https://www.asahi-ghs.com/>)

NITE Chemical Risk Information Platform "NITE-CHRIP"

(https://www.nite.go.jp/en/chem/chrip/chrip_search/systemTop)

GHS Classification Guidance for Enterprises 2019 Revised Edition (Ver. 2.0) (Mar. 2020, METI)

Phenolphthalein ethanol(90) solution (1g/L),
JUNSEI CHEMICAL CO., LTD.,96704jis_J_E2-1,08/Jul/2022

Definitions and Abbreviations

SDS (Safety Data Sheet)
LD50 (Lethal Dose, 50%)
LC50 (Lethal Concentration, 50%)
IARC (International Agency for Research on Cancer)
ACGIH (American Conference of Governmental Industrial Hygienists)
EPA (US Environmental Protection Agency)
NTP (US National Toxicology Program)
JSOH (Japan Society for Occupational Health)
EU (European Union)
EC50 (Effective Concentration, 50%)
NOEC (No Observed Effect Concentration)
BOD (Biochemical Oxygen Demand)
COD (Chemical Oxygen Demand)
BCF (Bioconcentration Factor)
anh (anhydride)

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2020).