

Bromophenol blue ethanol(50) solution (1g/L), JUNSEI CHEMICAL CO., LTD.,96736jis_E-2,18/Jan/2023

Date of issue for the 1st edition : 22/Dec/2017

Date of revision : 18/Jan/2023

Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking	
Product identifier:	
Product name: Bromophenol blue ethanol(50) solution (1g/L)	
Reference number(SDS):96736jis_E-2	
Product type:	
Reagent	
Details of the supplier of the safety data sheet	
Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.	
Address: 1-6, Ohmano-cho, Koshigaya-shi, Saitama 343-0844, Japan	
Division: Quality Assurance Department	
Telephone number: +81-48-986-6161	
FAX: +81-48-989-2787	
e-mail address: shiyaku-t@junsei.co.jp	
Section 2. Hazards identification	
GHS classification and label elements of the product	
Classification of the substance or mixture	
PHYSICAL AND CHEMICAL HAZARDS	
Flammable liquids: Category 3	
HEALTH HAZARDS	
Serious eye damage/eye irritation: Category 2B	
Carcinogenicity: Category 1A	
Reproductive toxicity: Category 1A	
Specific target organ toxicity – single exposure: Category 3 (Respiratory tract irritation)	
Specific target organ toxicity – single exposure: Category 3 (Narcotic effects)	
Specific target organ toxicity – repeated exposure: Category 1 (liver)	
Specific target organ toxicity – repeated exposure: Category 2 (central nervous system)	
(Note) GHS classification without description: Not classified/Classification not possible	
Label elements	
Signal word: Danger	
HAZARD STATEMENT	
H226-Flammable liquid and vapor	
H320–Causes eye irritation H350–May cause cancer	
•	
H360-May damage fertility or the unborn child	
H335-May cause respiratory irritation H336-May cause drowsiness or dizziness	
H330-May cause drowsiness or dizziness H372-Causes damage to organs through prolonged or repeated exposure	
H372-Gauses damage to organs through prolonged or repeated exposure H373-May cause damage to organs through prolonged or repeated exposure	
PRECAUTIONARY STATEMENT	
Prevention	
Obtain special instructions before use. Do not bandle until all safety presentions have been read and understand	
Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	



JUNSEI CHEMICAL CO., LTD.,96736jis_E-2,18/Jan/2023

Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wash contaminated parts thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Response In case of fire: Use water mist, foam, dry powder, CO2 to extinguish. Get medical advice/attention if you feel unwell. IF exposed or concerned: Get medical advice/attention. Call a POISON CENTER/doctor/physician if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Storage Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Disposal

Dispose of contents/container in accordance with local/national regulation.

Specific Physical and Chemical hazards

Flammable liquid. Vapor/air mixture may explode.

Section 3. Composition/information on ingredients

Mixture/Substance selection:

Mixture

Ingredient name:Bromophenol blue Content (%):0.1 Chemical formula:C19H10Br4O5S Chemicals No, Japan:4-907;5-3566 CAS No.:115-39-9 MW:669.96 ECNO:204-086-2

Ingredient name:Ethanol Content (%):ca. 40 Chemical formula:C2H5OH Chemicals No, Japan:2-202 CAS No.:64-17-5 MW:46.07 ECNO:200-578-6

Ingredient name:Water

Content (%):Residual quantity of the ingredient mentioned above. Chemical formula:H2O CAS No.:7732-18-5 MW:18.02



JUNSEI CHEMICAL CO., LTD.,96736jis_E-2,18/Jan/2023

ECNO:231-791-2

Note : The figures shown above are not the specifications of the product.

ction 4. First-aid mea	sures
Descriptions of first-	aid measures
General measures	
Get medical a	dvice/attention if you feel unwell.
Keep victim w	arm and quiet.
Call emergenc	y medical service.
IF INHALED	
Remove perso	n to fresh air and keep comfortable for breathing.
Give artificial	respiration if victim is not breathing.
Administer oxy	gen if breathing is difficult.
Call a POISON	l CENTER/doctor/physician if you feel unwell.
IF ON SKIN (or hai	·)
Take off imme	diately all contaminated clothing. Rinse skin with water or shower.
If skin irritatio	n or rash occurs: Get medical advice/attention.
Remove and is	olate contaminated clothing and shoes.
In case of bur	ns, immediately cool affected skin for as long as possible with child water.
Do not remove clothing if adhering to skin.	
IF IN EYES	
Rinse cautious	ly with water for several minutes. Remove contact lenses, if present and easy
to do. Continue rinsing.	
If our invitation	n persists: Get medical advice/attention.
i eye irritatioi	i persists. det medical auvice/ attention.
IF eye Irritation	
-	
IF SWALLOWED Rinse mouth.	I CENTER/doctor/physician if you feel unwell.
IF SWALLOWED Rinse mouth.	
IF SWALLOWED Rinse mouth.	
IF SWALLOWED Rinse mouth.	l CENTER/doctor/physician if you feel unwell.
IF SWALLOWED Rinse mouth. Call a POISON	l CENTER/doctor/physician if you feel unwell.
IF SWALLOWED Rinse mouth. Call a POISON	I CENTER/doctor/physician if you feel unwell. measures
IF SWALLOWED Rinse mouth. Call a POISON ection 5. Fire-fighting Extinguishing media Suitable extinguish	I CENTER/doctor/physician if you feel unwell. measures
IF SWALLOWED Rinse mouth. Call a POISON ection 5. Fire-fighting Extinguishing media Suitable extinguish	I CENTER/doctor/physician if you feel unwell. measures ng media use water mist, foam, dry powder, CO2 to extinguish.
IF SWALLOWED Rinse mouth. Call a POISON ection 5. Fire-fighting Extinguishing media Suitable extinguish In case of fire, Unsuitable extingui	I CENTER/doctor/physician if you feel unwell. measures ng media use water mist, foam, dry powder, CO2 to extinguish.
IF SWALLOWED Rinse mouth. Call a POISON ection 5. Fire-fighting Extinguishing media Suitable extinguish In case of fire, Unsuitable extingui Unsuitable extingui	I CENTER/doctor/physician if you feel unwell. measures ng media use water mist, foam, dry powder, CO2 to extinguish. shing media
IF SWALLOWED Rinse mouth. Call a POISON ection 5. Fire-fighting Extinguishing media Suitable extinguish In case of fire, Unsuitable extingui Unsuitable ext Specific hazards arisi	I CENTER/doctor/physician if you feel unwell. measures ng media use water mist, foam, dry powder, CO2 to extinguish. shing media inguishing media data is not available.
IF SWALLOWED Rinse mouth. Call a POISON ection 5. Fire-fighting Extinguishing media Suitable extinguish In case of fire, Unsuitable extingui Unsuitable extingui Specific hazards arisi Containers ma	I CENTER/doctor/physician if you feel unwell. measures ng media use water mist, foam, dry powder, CO2 to extinguish. shing media inguishing media data is not available. ng from the substance or mixture
IF SWALLOWED Rinse mouth. Call a POISON ection 5. Fire-fighting Extinguishing media Suitable extinguish In case of fire, Unsuitable extingui Unsuitable extingui Specific hazards arisi Containers ma Fire may produ	I CENTER/doctor/physician if you feel unwell. measures ng media use water mist, foam, dry powder, CO2 to extinguish. shing media inguishing media data is not available. ng from the substance or mixture y explode when heated.
IF SWALLOWED Rinse mouth. Call a POISON ection 5. Fire-fighting Extinguishing media Suitable extinguish In case of fire, Unsuitable extingui Unsuitable extingui Specific hazards arisi Containers ma Fire may produ	I CENTER/doctor/physician if you feel unwell. measures ng media use water mist, foam, dry powder, CO2 to extinguish. shing media inguishing media data is not available. ng from the substance or mixture y explode when heated. uce irritating, corrosive and/or toxic gases. re control or dilution water may cause pollution.
IF SWALLOWED Rinse mouth. Call a POISON ection 5. Fire-fighting Extinguishing media Suitable extinguish In case of fire, Unsuitable extingui Unsuitable extingui Specific hazards arisi Containers ma Fire may produ Runoff from fire	I CENTER/doctor/physician if you feel unwell. measures ng media use water mist, foam, dry powder, CO2 to extinguish. shing media inguishing media data is not available. ng from the substance or mixture y explode when heated. uce irritating, corrosive and/or toxic gases. re control or dilution water may cause pollution.
IF SWALLOWED Rinse mouth. Call a POISON ection 5. Fire-fighting Extinguishing media Suitable extinguish In case of fire, Unsuitable extingui Unsuitable extingui Unsuitable extingui Specific hazards arisi Containers ma Fire may produ Runoff from fir Advice for firefighters Specific fire-fightir	I CENTER/doctor/physician if you feel unwell. measures ng media use water mist, foam, dry powder, CO2 to extinguish. shing media inguishing media data is not available. ng from the substance or mixture y explode when heated. uce irritating, corrosive and/or toxic gases. re control or dilution water may cause pollution.
IF SWALLOWED Rinse mouth. Call a POISON ection 5. Fire-fighting Extinguishing media Suitable extinguish In case of fire, Unsuitable extingui Unsuitable extingui Unsuitable extingui Runsuitable ext Specific hazards arisi Containers ma Fire may produ Runoff from fir Advice for firefighters Specific fire-fightir Evacuate non-	I CENTER/doctor/physician if you feel unwell. measures ng media use water mist, foam, dry powder, CO2 to extinguish. shing media inguishing media data is not available. ng from the substance or mixture y explode when heated. uce irritating, corrosive and/or toxic gases. re control or dilution water may cause pollution.
IF SWALLOWED Rinse mouth. Call a POISON ection 5. Fire-fighting Extinguishing media Suitable extinguish In case of fire, Unsuitable extingui Unsuitable extingui Unsuitable extingui Runsuitable ext Specific hazards arisi Containers ma Fire may produ Runoff from fir Advice for firefighters Specific fire-fightin Evacuate non- Cool containers	I CENTER/doctor/physician if you feel unwell. measures ng media use water mist, foam, dry powder, CO2 to extinguish. shing media inguishing media data is not available. ng from the substance or mixture y explode when heated. uce irritating, corrosive and/or toxic gases. re control or dilution water may cause pollution.
IF SWALLOWED Rinse mouth. Call a POISON ection 5. Fire-fighting Extinguishing media Suitable extinguish In case of fire, Unsuitable extingui Unsuitable extingui Unsuitable extingui Specific hazards arisi Containers ma Fire may produ Runoff from fir Advice for firefighters Specific fire-fightir Evacuate non- Cool container Special protective	I CENTER/doctor/physician if you feel unwell. measures ng media use water mist, foam, dry powder, CO2 to extinguish. shing media inguishing media data is not available. ng from the substance or mixture y explode when heated. uce irritating, corrosive and/or toxic gases. re control or dilution water may cause pollution. g measures ressential personnel to safe area. r with water spray. equipment and precautions for fire-fighters
IF SWALLOWED Rinse mouth. Call a POISON ection 5. Fire-fighting Extinguishing media Suitable extinguish In case of fire, Unsuitable extingui Unsuitable extingui Unsuitable extingui Specific hazards arisi Containers ma Fire may produ Runoff from fir Advice for firefighters Specific fire-fightin Evacuate non- Cool container Special protective Wear fire resis	I CENTER/doctor/physician if you feel unwell. measures ng media use water mist, foam, dry powder, CO2 to extinguish. shing media inguishing media data is not available. ng from the substance or mixture y explode when heated. uce irritating, corrosive and/or toxic gases. re control or dilution water may cause pollution. g measures ressential personnel to safe area. with water spray. equipment and precautions for fire-fighters tant or flame retardant clothing.
IF SWALLOWED Rinse mouth. Call a POISON ection 5. Fire-fighting Extinguishing media Suitable extinguish In case of fire, Unsuitable extingui Unsuitable extingui Unsuitable extingui Unsuitable extingui Runsuitable extingui Advice for firefighters Specific fire-fightir Evacuate non- Cool containers Special protective Wear fire resis Wear protective	I CENTER/doctor/physician if you feel unwell. measures ng media use water mist, foam, dry powder, CO2 to extinguish. shing media inguishing media data is not available. ng from the substance or mixture y explode when heated. uce irritating, corrosive and/or toxic gases. re control or dilution water may cause pollution. g measures ressential personnel to safe area. with water spray. equipment and precautions for fire-fighters tant or flame retardant clothing. re gloves/protective clothing/eye protection/face protection.
IF SWALLOWED Rinse mouth. Call a POISON ection 5. Fire-fighting Extinguishing media Suitable extinguish In case of fire, Unsuitable extingui Unsuitable extingui Unsuitable extingui Unsuitable extingui Runsuitable extingui Advice for firefighters Specific fire-fightir Evacuate non- Cool containers Special protective Wear fire resis Wear protective	I CENTER/doctor/physician if you feel unwell. measures ng media use water mist, foam, dry powder, CO2 to extinguish. shing media inguishing media data is not available. ng from the substance or mixture y explode when heated. uce irritating, corrosive and/or toxic gases. re control or dilution water may cause pollution. g measures ressential personnel to safe area. with water spray. equipment and precautions for fire-fighters tant or flame retardant clothing. re gloves/protective clothing/eye protection/face protection. ould wear self-contained breathing apparatus with full face peace operated

Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures Keep unauthorized personnel away.



JUNSEI CHEMICAL CO., LTD.,96736jis_E-2,18/Jan/2023

In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

PUBLIC SAFTY: Ventilate closed spaces before entering.

Do not touch or walk through spilled material.

Environmental precautions

Runoff to sewer may create fire or explosion hazard.

Vapor explosion hazard indoors, outdoors or in sewers.

Avoid release to headsprings, rivers, lakes, ocean and groundwater.

Methods and materials for containment and cleaning up

Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.

Use clean non-sparking tools to collect absorbed material.

All equipment used when handling the product must be grounded.

Preventive measures for secondary accident

Collect spillage.

Stop leak if you can do it without risk.

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Prevent entry into waterways, sewers, basements or confined areas.

Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

When using do not eat, drink or smoke.

Any incompatibilities

Strong oxidizing agents should not be mixed with the chemicals.

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Storage

Conditions for safe storage

Store in a well-ventilated place. Keep container tightly closed.

Keep cool. Protect from sunlight.

Store in accordance with local/national regulation.



JUNSEI CHEMICAL CO., LTD.,96736jis_E-2,18/Jan/2023

Store locked up.

Container and packaging materials for safe handling data is not available. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

Section 8. Exposure controls/personal protection		
Control parameters		
Control value in MHLW is not available.		
Adopted value		
(Ethanol)		
Adopted value in JSOH is not available.		
ACGIH(2009) STEL: 1000ppm (URT irr)		
Exposure controls		
Appropriate engineering controls		
Do not use in areas without adequate ventilation.		
Eye wash station should be available.		
Washing facilities should be available.		
Individual protection measures		
Respiratory protection		
Wear respiratory protection.		
Hand protection		
Wear protective gloves. Recommended material(s): butyl rubber, viton		
Inspect before use and replace worn or damaged gloves.		
Contact the glove manufacturer for specific advice on glove selection and breakthrough		
times for your use conditions.		
Eye protection		
Wear safety glasses with side-shields or chemical safety goggle.		
Wear eye/face protection.		
Skin and body protection		
Wear impervious clothing and boots in case of repeated or prolonged treatment.		
Section 9. Physical and Chemical Properties		
Information on basic physical and chemical properties		
Physical state: Liquid		
Color: Yellowish-brown		
Odor data is not available.		
Odor threshold data is not available.		
Melting point/Freezing point data is not available.		
Boiling point or initial boiling point: 79°C(Ethanol)		
Boiling range data is not available.		
Flammability (gases, liquids and solids) data is not available.		
Lower and upper explosion limit/flammability limit data is not available.		
Flash point: 26~29°C		
Auto-ignition temperature: 363°C(Ethanol)		
Decomposition temperature data is not available.		
Self-Accelerating Decomposition Temperature/SADT data is not available.		
pH data is not available.		
Dynamic viscosity data is not available		

Dynamic viscosity data is not available.

Kinematic viscosity data is not available.



JUNSEI CHEMICAL CO., LTD.,96736jis_E-2,18/Jan/2023

Solubility:

Solubility in water: Miscible Solubility in solvent data is not available. n-Octanol/water partition coefficient data is not available. Vapor pressure data is not available. Vapor density data is not available. Density and/or relative density data is not available. Relative vapor density (Air=1) data is not available. Relative density of the Vapor/air - mixture at 20°C (Air = 1) data is not available. Particle characteristics data is not available. Other information Critical temperature data is not available. Evaporation rate data is not available.

VOC data is not available.

Section 10. Stability and Reactivity

Reactivity

Reactivity data is not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

Possibility of hazardous reactions data is not available.

Conditions to avoid

Contact with incompatible materials.

Open flames. Heating. Sparks.

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon oxides, Sulfur oxides, Bromides

Section 11. Toxicological Information

The product has not been subjected to toxicological testing. Refer to the available data on the constituents. Information on toxicological effects Acute toxicity Acute toxicity (Oral) [Product] Classification not possible (Insufficient data available or no data available). [Product data] No data available. [Data for components of the product] No data available. Acute toxicity (Dermal) [Product] Classification not possible (Insufficient data available or no data available). [Product data] No data available. [Data for components of the product] No data available. Acute toxicity (Inhalation) [Product] Classification not possible (Insufficient data available or no data available).



Bromophenol blue ethanol(50) solution (1g/L), JUNSEI CHEMICAL CO., LTD.,96736jis E-2,18/Jan/2023 [Product data] No data available. [Data for components of the product] No data available. Irritant properties Skin corrosion/irritation [Product] Classification not possible (Insufficient data available or no data available). [Product data] No data available. [Data for components of the product] No data available. Serious eye damage/irritation [Product] Category 2B, Causes eye irritation [Product data] No data available. [Data for components of the product] [GHS Cat. Japan, base data] (Ethanol) rabbit: Corneal opacity, iritis, conjunctival redness and chemosis recover within 7 days (ECETOC TR No.48(2), 1998 et al.) Sensitization Respiratory sensitization [Product] Classification not possible (Insufficient data available or no data available). [Product data] No data available. [Data for components of the product] No data available. Skin sensitization [Product] Classification not possible (Insufficient data available or no data available). [Product data] No data available. [Data for components of the product] No data available. Germ cell mutagenicity [Product] Classification not possible (Insufficient data available or no data available). [Product data] No data available. [Data for components of the product] No data available. Carcinogenicity [Product] Category 1A, May cause cancer [Product data] No data available. [Data for components of the product] [GHS Cat. Japan, base data] (Ethanol) cat.1A; (IARC, 2010)



Bromophenol blue ethanol(50) solution (1g/L), JUNSEI CHEMICAL CO., LTD.,96736jis E-2,18/Jan/2023 [IARC] (Ethanol) Group 1 : Carcinogenic to humans [ACGIH] (Ethanol) A3(2009) : Confirmed Animal Carcinogen with Unknown Relevance to Humans Reproductive toxicity [Product] Category 1A, May damage fertility or the unborn child [Product data] No data available. [Data for components of the product] [GHS Cat. Japan, base data] (Ethanol) cat. 1A; human : PATTY 6th, 2012 Specific target organ toxicity (STOT) STOT-single exposure [Product] Category 3, May cause respiratory irritation Category 3, May cause drowsiness or dizziness [Product data] No data available. [Data for components of the product] [cat.3 (respiratory tract irritation)] [GHS Cat. Japan, base data] (Ethanol) respiratory tract irritation (PATTY 6th, 2012) [cat.3 (narcotic effects)] [GHS Cat. Japan, base data] (Ethanol) narcotic effect (PATTY 6th, 2012; SIDS, 2005) STOT-repeated exposure [Product] Category 1, Causes damage to organs through prolonged or repeated exposure Category 2, May cause damage to organs through prolonged or repeated exposure [Product data] No data available. [Data for components of the product] [cat.1] [GHS Cat. Japan, base data] (Ethanol) liver (DFGOT vol.12, 1999) [cat.2] [GHS Cat. Japan, base data] (Ethanol) central nervous system (HSDB, Access on Jun. 2013) Aspiration hazard [Product] Classification not possible (Insufficient data available or no data available). [Product data] No data available. [Data for components of the product] No data available.



Bromophenol blue ethanol(50) solution (1g/L), JUNSEI CHEMICAL CO., LTD.,96736jis_E-2,18/Jan/2023

Section 12. Ecological Information
The product has not been subjected to ecotoxicological testing. Refer to the available data
on the constituents.
Toxicity
Aquatic toxicity
[Product]
Classification not possible (Insufficient data available or no data available).
[Product data]
No data available.
[Data for components of the product]
Hazardous to the aquatic environment, short-term (acute)
[GHS Cat. Japan, base data]
(Ethanol)
Algae (Chlorella) EC50=1000mg/L/96hr (SIDS, 2005)
Hazardous to the aquatic environment, long-term (chronic)
[GHS Cat. Japan, base data]
(Ethanol)
Crustacea (Ceriodaphnia sp.) NOEC=9.6mg/L/10days (SIDS, 2005)
Water solubility
(Ethanol)
miscible (ICSC, 2018)
Persistence and degradability
[Data for components of the product]
(Ethanol)
Rapidly degradable [BOD_Degradation : 89% (METI existing chemical safety inspections, 1993)]
Bioaccumulative potential
[Data for components of the product]
(Ethanol)
log Pow=-0.32 (ICSC, 2018)
Mobility in soil
Mobility in soil data is not available.
Other adverse effects
Ozone depleting chemical data is not available.
Section 13. Disposal considerations
Description of waste residues and information on their safe handling and methods of disposal,

including the disposal of any contaminated packaging

Waste treatment methods

Dispose of contents/container in accordance with local/national regulation.

Section 14. Transport Information UN No., UN CLASS UN Number or ID Number : 1170 UN Proper Shipping Name : ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) Class or division (Transport hazard class) : 3 Packing group : III ERG GUIDE No.: 127 IMDG Code (International Maritime Dangerous Goods Regulations) UN Number or ID Number : 1170



Bromophenol blue ethanol(50) solution (1g/L), JUNSEI CHEMICAL CO., LTD.,96736jis_E-2,18/Jan/2023 UN Proper Shipping Name : ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) Class or division (Transport hazard class): 3 Packing group : III IATA (Dangerous Goods Regulations) UN Number or ID Number : 1170 UN Proper Shipping Name : ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) Class or division (Transport hazard class): 3 Hazard labels : Flamm.liquid Packing group : III Environmental hazards Marine pollutants (yes/no) : no Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Noxious Liquid Substances ; Cat. Z Ethanol Non Noxious Liquid Substances ; Cat. OS Water MARPOL Annex V - HME (Harmful to the Marine Environment) Carcinogenicity: cat.1, 1A, 1B Ethanol Reproductive toxicity: cat.1, 1A, 1B Ethanol Specific target organ toxicity - repeated exposure: cat.1 Ethanol

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory 64-17-5: 115-39-9: 7732-18-5

All components are listed or exempted.

Other regulatory information

We are not able to check up the regulatory information with regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility. Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations. Regulatory information in this section are limited to intentional ingredient(s), but does

not contain information on non-intentional ingredients or impurities which are not informed by supplier(s). Chemical safety assessment

Advice on safe handling for this product can be found in sections 7 and 8 of this SDS.

Section 16. Other information

GHS classification and labelling

H226-Flammable liquids, Category 3: H226 Flammable liquid and vapour

H320-Serious eye damage/eye irritation, Category 2B: H320 Causes eye irritation

H350-Carcinogenicity, Category 1A: H350 May cause cancer

H335-STOT - single exposure, Category 3, Respiratory tract irritation: H335 May cause respiratory irritation.

H336-STOT - single exposure, Category 3, Narcotic effects: H336 May cause drowsiness or dizziness.

H360-Reproductive toxicity, Category 1A: H360 May damage fertility or the unborn child



Bromophenol blue ethanol(50) solution (1g/L), JUNSEI CHEMICAL CO., LTD.,96736jis E-2,18/Jan/2023 H372-STOT - Repeated exposure, Category 1: H372 Causes damage to organs through prolonged or repeated exposure H373-STOT - Repeated exposure, Category 2: H373 May cause damage to organs through prolonged or repeated exposure References and sources for data Globally Harmonized System of classification and labelling of chemicals, UN Recommendations on the TRANSPORT OF DANGEROUS GOODS 21th edit., 2019 UN IMDG Code, 2020 Edition (Incorporating Amendment 40–20) IATA Dangerous Goods Regulations (62nd Edition) 2021 2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT) 2022 TLVs and BEIs. (ACGIH) JIS Z 7252 : 2019 JIS Z 7253 : 2019 2021 Recommendation on TLVs (JSOH) Notification No. 0111-1 (January 11, 2022), Chemical Hazards Control Division, Industrial Safety and Health Department, Labour Standards Bureau, MHLW in Japan Supplier's data/information Chemicals safety data management system "GHS Assistant" Version 4.20 (https://www.asahi-ghs.com/) NITE Chemical Risk Information Platform "NITE-CHRIP" (https://www.nite.go.jp/en/chem/chrip/chrip_search/systemTop) GHS Classification Guidance for Enterprises 2019 Revised Edition (Ver. 2.0) (Mar. 2020, METI) Abbreviations and acronyms SDS (Safety Data Sheet) LD50 (Lethal Dose, 50%) LC50 (Lethal Concentration, 50%) IARC (International Agency for Research on Cancer) ACGIH (American Conference of Governmental Industrial Hygienists) EPA (US Environmental Protection Agency) NTP (US National Toxicology Program) JSOH (Japan Society for Occupational Health) EU (European Union) EC50 (Effective Concentration, 50%) NOEC (No Observed Effect Concentration) BOD (Biochemical Oxygen Demand) COD (Chemical Oxygen Demand) BCF (Bioconcentration Factor) anh (anhydride) **General Disclaimer** This data sheet was created based on the information we currently have and may be revised

according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety. The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties. The GHS classification data given here is based on current Japan official data (NITE published in 2021).