

SPECIFICATION

JUNSEI CHEMICAL CO.,LTD.
QUALITY ASSURANCE SECTION
1-6, Ohmano-cho, Koshigaya-shi,
Saitama, 343-0844, Japan
TEL: +81-48-986-6161
FAX: +81-48-989-2787

Product Code 11255-3630
Commodity Acetonitrile
Grade For Fluorometry
Q'ty 500ml

[Test Item]	[Standard]	CASNo.75-05-8
ASSAY (GC)	min. 99.8 %	
Density (20 °C)	0.780 ~ 0.783 g/ml	
Refractive index n_D^{20}	1.343 ~ 1.346	
Water	max. 0.05 %	
Non-volatile matter	max. 0.001 %	
Acid (as CH ₃ COOH)	max. 0.001 %	
Peroxide	max. 5 ppm	
Hydrogen cyanide	max. 5 ppm	
Allyl alcohol	max. 0.01 %	
Ammonia	max. 0.3 ppm	
Substances reducing KMnO ₄	To pass test	
Absorbance E 1cm		
(at 200nm)	max. 0.05	
(at 220nm)	max. 0.02	
(at 225 ~ 400nm)	max. 0.01	
Fluorescence intensity 320 ~ 460nm(excitation wave length 255nm)	max. 1 ppb	

