

SPECIFICATION

JUNSEI CHEMICAL CO.,LTD.
QUALITY ASSURANCE SECTION
1-6, Ohmano-cho, Koshigaya-shi,
Saitama, 343-0844, Japan
TEL: +81-48-986-6161
FAX: +81-48-989-2787

Product Code 28560-3130
Commodity Chloroform
Grade PAG
Q'ty 500ml

[Test Item]	[Standard]	CASNo.67-66-3
ASSAY (GC)	min. 99.5%	
Water	max. 0.03%	
Non-volatile matter	max. 3ppm	
Free acid (as HCl)	max. 2ppm	
Chloride (Cl)	max. 0.5ppm	
Lead (Pb)	max. 0.001ppm	
Copper (Cu)	max. 0.005ppm	
Iron (Fe)	max. 0.02ppm	
Zinc (Zn)	max. 0.005ppm	
Cadmium (Cd)	max. 0.001ppm	
Mercury (Hg)	max. 0.005ppm	
Aldehyde (as CH ₃ CHO)	max. 0.8ppm	
Suttability for dithizone test	To pass test	
Substances darkened by H ₂ SO ₄	To pass test	
Absorbance E1 cm (reference : water) XXX使用 禁		
(at 254nm)	max. 0.3	
(at 260nm)	max. 0.1	
(at 280nm)	max. 0.02	
(at 300 ~ 370nm)	max. 0.01	

