

## Safety Data Sheet

### 1. Identification of the substance/mixture and of the company/undertaking

#### Product identifier:

Product name: Glacial Acetic Acid

Product code (SDS NO): 31011jis\_E-1

#### Relevant identified uses of the substance or mixture and uses advised against

Uses advised against: This product conform to JP (Japanese Pharmacopoeia). Do not use for other purposes.

#### Details of the supplier of the safety data sheet

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-cho, Koshigaya-shi, Saitama 343-0844, Japan

Division: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

### 2. Hazards identification

#### GHS classification and label elements of the product

#### Classification of the substance or mixture

##### PHYSICAL AND CHEMICAL HAZARDS

Flammable liquids: Category 3

##### HEALTH HAZARDS

Acute toxicity (Dermal): Category 4

Skin corrosion/irritation: Category 1

Serious eye damage/eye irritation: Category 1

Specific target organ toxicity – single exposure: Category 1 (blood, respiratory system)

##### ENVIRONMENT HAZARDS

Hazardous to the aquatic environment (Acute): Category 3

(Note) GHS classification without description: Not classified/Classification not possible

#### Label elements



Signal word: Danger

#### HAZARD STATEMENT

H226-Flammable liquid and vapor

H312-Harmful in contact with skin

H314-Causes severe skin burns and eye damage

H318-Causes serious eye damage

H370-Causes damage to organs after single exposure

H402-Harmful to aquatic life

#### PRECAUTIONARY STATEMENT

##### Prevention

Avoid release to the environment.

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.  
Do not breathe dust/fume/gas/mist/vapors/spray.  
Wash contaminated parts thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Do not eat, drink or smoke when using this product.

**Response**

In case of fire: Use appropriate media for extinction.  
Immediately call a POISON CENTER or doctor/physician.  
Call a POISON CENTER or doctor/physician if you feel unwell.  
IF exposed or concerned: Call a POISON CENTER or doctor/physician.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
IF ON SKIN: Wash with plenty of soap and water.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
Wash contaminated clothing before reuse.  
Take off contaminated clothing and wash it before reuse.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

**Storage**

Store in a well-ventilated place. Keep cool.  
Store locked up.

**Disposal**

Dispose of contents/container in accordance with local/national regulation.

**Specific Physical and Chemical hazards**

Flammable liquid. Vapor/air mixture may explode.

---

**3. Composition/information on ingredients****Mixture/Substance selection:****Substance**

Ingredient name: Acetic acid  
Content (%): 99.0 <  
Chemical formula: C<sub>2</sub>H<sub>4</sub>O<sub>2</sub>  
Chemicals No, Japan: 2-688  
CAS No.: 64-19-7  
MW: 60.05  
ECNO: 200-580-7

---

**4. First-aid measures****Descriptions of first-aid measures****General measures**

Immediately call a POISON CENTER or doctor/physician.

**IF INHALED**

Remove person to fresh air and keep comfortable for breathing.  
Call a POISON CENTER or doctor/physician if you feel unwell.

**IF ON SKIN (or hair)**

Take off immediately all contaminated clothing. Rinse skin with water/shower.  
Wash with plenty of soap and water.  
If skin irritation or rash occurs: Get medical advice/attention.

**IF IN EYES**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.

**IF SWALLOWED**

Rinse mouth. Do NOT induce vomiting.

If within a few minutes after ingestion, one small glass of water may be given to drink.

Call a POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

(Symptoms when inhalation or ingestion)

Sore throat. Cough. Burning sensation. Headache. Dizziness. Shortness of breath. Laboured breathing.

Abdominal pain. Vomiting. Shock or collapse.

(Symptoms when skin and/or eye contact)

Pain. Redness. Blisters. Severe burns. Loss of vision.

---

**5. Fire-fighting measures****Extinguishing media****Suitable extinguishing media**

In case of fire, use water mist, foam, dry powder, CO2 to extinguish.

Unsuitable extinguishing media data is not available.

**Specific hazards arising from the substance or mixture**

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

**Advice for firefighters****Specific fire-fighting measures**

Evacuate non-essential personnel to safe area.

Cool container with water spray.

**Special protective equipment and precautions for fire-fighters**

Wear fire/flame resistant/retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with full face piece operated positive pressure mode.

---

**6. Accidental release measures****Personnel precautions, protective equipment and emergency procedures**

Keep unauthorized personnel away.

In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

**PUBLIC SAFETY:** Ventilate closed spaces before entering.

**Environmental precautions**

Runoff to sewer may create fire or explosion hazard.

Vapor explosion hazard indoors, outdoors or in sewers.

Avoid release to headsprings, rivers, lakes, ocean and groundwater.

**Methods and materials for containment and cleaning up**

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Use clean non-sparking tools to collect absorbed material.

All equipment used when handling the product must be grounded.

**Preventive measures for secondary accident**

Collect spillage.

Stop leak if you can do it without risk.

Prevent entry into waterways, sewers, basements or confined areas.

---

## 7. Handling and storage

### Precautions for safe handling

#### Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

#### Safety Measures

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

When using do not eat, drink or smoke.

#### Any incompatibilities

Strong acids, Strong bases, Strong oxidizing agents should not be mixed with the chemicals.

#### Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Take off contaminated clothing and wash it before reuse.

#### Storage

##### Conditions for safe storage

Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Keep cool. Protect from sunlight.

Store locked up.

Container and packaging materials for safe handling data is not available.

---

## 8. Exposure controls/personal protection

### Control parameters

Control value in MHLW is not available.

#### Adopted value

JSOH(1978) 10ppm; 25mg/m<sup>3</sup>

ACGIH(2003) TWA: 10ppm;

STEL: 15ppm (URT & eye irr; pulm func)

#### OSHA-PEL

TWA: 10ppm, 25mg/m<sup>3</sup>

#### NIOSH-REL

TWA: 10ppm; STEL: 15ppm

### Exposure controls

#### Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

#### Individual protection measures

##### Respiratory protection

Wear respiratory protection.

Wear positive pressure self-contained breathing apparatus (SCBA).

Hand protection

Wear protective gloves. Recommended material(s): butyl rubber

Consult with your glove and/or personnel equipment manufacturer for selection of appropriate compatible materials.

Eye protection

Wear chemical safety goggle.

Wear eye/face protection.

Skin and body protection

Wear impervious clothing and boots in case of repeated or prolonged treatment.

---

## 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

Physical state: Liquid or crystalline lumps

Color: Colorless, Clear or white

Odor: Irritant odor

Odor threshold: 2.5~2500 mg/m<sup>3</sup>

Melting point/Freezing point: >=14.5°C (Freezing point)

Boiling point or initial boiling point: ca.118°C

Boiling range data is not available.

Flammability (gases, liquids and solids): Ignitable

Lower and upper explosion limit/flammability limit:

Lower explosion limit: 5.4 vol %

Upper explosion limit: 16 vol %

Flash point: (c.c.)39°C

Auto-ignition temperature: 427°C

Decomposition temperature data is not available.

Self-Accelerating Decomposition Temperature/SADT data is not available.

pH: 2.4 (1.0M solution)

Dynamic viscosity: 1.056mPas(25°C)

Kinematic viscosity data is not available.

Solubility:

Solubility in water: Miscible

Solubility in solvent: Miscible with ethanol(95), diethyl ether.

n-Octanol/water partition coefficient: log Pow-0.31

Vapor pressure: 1.5 kPa (20°C)

Vapor density data is not available.

VOC data is not available.

Evaporation rate data is not available.

Density and/or relative density: ca. 1.049(20/20°C)

Relative vapor density (Air=1): 2.1

Relative density of the Vapor/air - mixture at 20°C (Air = 1): 1.02

Critical temperature data is not available.

No Particle characteristics data is not available.

---

## 10. Stability and Reactivity

### Reactivity

Runaway polymerization will not occur.

### Chemical stability

Stable under normal storage/handling conditions.

At a low temperature, this substance may be a solid.

Flammable.

## Possibility of hazardous reactions

- Reacts violently with strong oxidants. This generates fire and explosion hazard.
- Reacts violently with strong bases, strong acids and many other compounds.
- Attacks some forms of plastic (e.g. Vinyl chloride), rubber (e.g. Natural rubber) and coatings.

## Conditions to avoid

- Contact with incompatible materials.
- Open flames. Heat. Sparks.

## Incompatible materials

- Strong acids, Strong bases, Strong oxidizing agents

## Hazardous decomposition products

- Carbon oxides

---

## 11. Toxicological Information

## Information on toxicological effects

## Acute toxicity

## Acute toxicity (Oral)

- [GHS Cat. Japan, base data]
- rat LD50=3310mg/kg (PATTY 5th, 2001)

## Acute toxicity (Dermal)

- [GHS Cat. Japan, base data]
- rabbit LD50=1060mg/kg (PATTY 5th, 2001)

## Irritant properties

## Skin corrosion/irritation

- [GHS Cat. Japan, base data]
- rabbit/guinea pig : severe burn (PATTY 5th, 2001 et al.)

## Serious eye damage/irritation

- [GHS Cat. Japan, base data]
- rabbit : permanent corneal damage (IUCLID, 2000 et al.)

Allergenic and sensitizing effects data is not available.

## Germ cell mutagenicity

- [GHS Cat. Japan, base data]
- in vivo data is not available.
- Reverse-mutation assay in bacteria (Ames test) : Negative (PATTY 5th, 2001)
- Chromosome aberration test : Negative (CHO cell; PATTY 5th, 2001)

Carcinogenic effects data is not available.

Reproductive toxicity data is not available.

## STOT

## STOT-single exposure

- [cat.1]
- [GHS Cat. Japan, base data]
- blood; respiratory system/system (ACGIH, 2004)

STOT-repeated exposure data is not available.

Aspiration hazard data is not available.

---

## 12. Ecological Information

## Ecotoxicity

## Aquatic toxicity

H402-Harmful to aquatic life

Hazardous to the aquatic environment (Acute)

- [GHS Cat. Japan, base data]
- Crustacea (Daphnia magna) EC50=65mg/L/48hr (Aquire, 2010)

## Water solubility

miscible (ICSC, 2010)

## Persistence and degradability

BOD\_Degradation : 74% (Registered chemicals data check &amp; review)

## Bioaccumulative potential

log Pow=-0.17 (PHYSPROP DB, 2005)

## Mobility in soil

Mobility in soil data is not available.

## Other adverse effects

Ozone depleting chemical data is not available.

---

**13. Disposal considerations**

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

## Waste treatment methods

Avoid release to the environment (- if this is not the intended use).

Dispose of contents/container in accordance with local/national regulation.

---

**14. Transport Information**

## UN No., UN CLASS

UN No.: 2789

Proper Shipping Name :

ACETIC ACID, GLACIAL or ACETIC ACID SOLUTION, more than 80% acid, by mass

Class or division : 8

Subsidiary hazard(s) : 3

Packing group : II

ERG GUIDE No.: 132

## IMDG Code (International Maritime Dangerous Goods Regulations)

UN No.: 2789

Proper Shipping Name :

ACETIC ACID, GLACIAL or ACETIC ACID SOLUTION, more than 80% acid, by mass

Class or division : 8

Subsidiary hazard(s) : 3

Packing group : II

## IATA Dangerous Goods Regulations

UN No.: 2789

Proper Shipping Name :

ACETIC ACID, GLACIAL or ACETIC ACID SOLUTION, more than 80% acid, by mass

Class or division : 8

Subsidiary hazard(s) : 3

Hazard labels : Corrosive &amp; Flamm.liquid

Packing group : II

## Environmental hazards

MARPOL Annex III – Prevention of pollution by harmful substances

Marine pollutants (yes/no) : no

---

## 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Environmental hazards

Transport in bulk according to Annex II of MARPOL73/78 and IBC Code

Noxious Liquid ; Cat. Z

Acetic acid

Basel law, Japan

Acetic acid

US Federal Regulations

Chemicals listed in TSCA Inventory

Acetic acid

Other regulatory information

We are not able to check up the regulatory information with regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Regulatory information in this section are limited to intentional ingredient(s), but does not contain information on non-intentional ingredients or impurities which are not informed by supplier(s).

---

## 16. Other information

GHS classification and labelling

H226-Flam. Liq. 3: H226 Flammable liquid and vapor

H312-Acute Tox. 4: H312 Harmful in contact with skin

H314-Skin Corr. 1: H314 Causes severe skin burns and eye damage

H318-Eye Dam. 1: H318 Causes serious eye damage

H370-STOT SE 1: H370 Causes damage to organs after single exposure

H402-Aquatic Acute 3: H402 Harmful to aquatic life

Reference Book

Globally Harmonized System of classification and labelling of chemicals, (6th ed., 2015), UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 20th edit., 2017 UN

IMDG Code, 2018 Edition (Incorporating Amendment 39-18)

IATA Dangerous Goods Regulations (61th Edition) 2020

Classification, labelling and packaging of substances and mixtures (Table 3 ECNO6182012)

2016 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2020 TLVs and BEIs. (ACGIH)

<http://monographs.iarc.fr/ENG/Classification/index.php>

JIS Z 7253 : 2019

JIS Z 7252 : 2019

2019 Recommendation on TLVs (JISOH)

Supplier's data/information

Chemicals safety data management system "GHS Assistant" (<https://www.asahi-ghs.com/>)

NITE Chemical Risk Information Platform "NITE-CHRIP"

([https://www.nite.go.jp/en/chem/chrip/chrip\\_search/systemTop](https://www.nite.go.jp/en/chem/chrip/chrip_search/systemTop))

GHS Classification Guidance for Enterprises 2019 Revised Edition (Ver. 2.0) (Mar. 2020, METI)

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your





Glacial Acetic Acid, JUNSEI CHEMICAL CO., LTD., 31011jis\_E-1, 10/09/2020

safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2018).